S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.
--

Free Flow	Ref. Only	Description	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	<ol> <li>Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models.</li> <li>Equipment group 1SC available on C*35953 and C*35943 Models.</li> </ol>	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Air bags, frontal, driver and right front passenger 1 - Regular and Extended Cab Models includes passenger side deactivation switch Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.	S1	S1	S <sup>1</sup>	S1
CJ3		Air conditioning, dual-zone, manual, individual climate settings for driver and right front passenger 1 - Only available (and also required) when (VYU) Snow Plow Prep Package is ordered on LT.	S	S	A <sup>1</sup>	S
		Assist handle, front passenger 1 - Also includes rear outboard passenger assist handle on Extended and Crew Cab Models.	S <sup>1</sup>	S <sup>1</sup>	S1	S1
		Cigarette lighter, on instrument panel	S	S	S	S
		Coat hook, driver side 1 - Also includes passenger side coat hook on Extended and Crew Cab Models.	S1	S1	S <sup>1</sup>	S1
		Cupholders, front 1 - Also includes rear cupholders on Extended and Crew Cab Models.	S1	S1	S1	S1
		<ul> <li>Driver Information Center, includes trip odometer and message center (monitors numerous systems depending on vehicle equipment including low fuel, turn signal "on", transmission temperature, and oil change notification)</li> <li>1 - With (UK3) Sound system feature, steering wheel mounted radio controls, includes trip and fuel information selections and programmable personalization features.</li> </ul>	S	S <sup>1</sup>	S1	S
BG9		Floor covering, rubberized vinyl, Black 1 - Not available with (922) Medium Gray Leather Interior trim.	S	A <sup>1</sup>		S
		<b>Instrumentation,</b> analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer	S	S	S	S
		<b>Lighting,</b> dome lamp, reading, courtesy, illuminated entry feature, backlit instrument panel switches and door handle-activated illuminated entry	S	S	S	S
		Mirror, inside rearview, manual day/night	S			S
		<b>Power outlets,</b> auxiliary, covered, 2 dash-mounted, 12-volt	S	S	S	S
	**V	Seat trim, vinyl	S			S

### 2004 Chevrolet Truck Silverado 3500 STANDARD EQUIPMENT

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
	**D	Seat trim, Custom Cloth		S		
	**2	Seat trim, leather 1 - Not available on Regular Cab Models Extended Cab includes front leather seating surfaces with rear vinyl bench Crew Cab includes front and rear leather appointed seating surfaces.		A <sup>1</sup>	S1	
	AE7	Seats, front 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining with outboard head restraints	S			S
	AE7	Seats, front 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining, center fold-down armrest with storage, adjustable outboard head restraints and storage pockets on Extended Cab Models 1 - Not available with (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer.		S1		
		<ul> <li>Seats, rear 60/40 split-bench, flat folding, 3-passenger</li> <li>(includes child seat top tether anchor)</li> <li>1 - Not available with Regular Cab Models.</li> </ul>	S1	S1	S1	S1
	UM7	Sound system, ETR AM/FM stereo, includes seek-and-scan and digital clock				S
	UQ5	Sound system feature, 4-speakers	S			S
		<b>Steering column,</b> Tilt-Wheel, adjustable, includes brake/transmission shift interlock	S	S	S	S
		Steering wheel, steel sleeve, includes theft-deterrent locking feature	S			S
		Theft-deterrent system, PASSlock II	S	S	S	S
		<b>Tools,</b> mechanical jack and wheel wrench, spare tire assist hook, floor-mounted in back of cab	S	S	S	S
		<b>Visors,</b> padded, Shale-colored, driver and passenger side with cloth trim, extenders, pocket on driver side and vanity mirror on passenger side	S	S	S	S
		Warning tones, headlamp on, key-in-ignition, driver and passenger seat belt reminder, turn signal on	S	S	S	S
		Windows, rear quarter swing-out 1 - Standard with Extended Cab Models only.	S <sup>1</sup>	S1	S <sup>1</sup>	S1
		Air dam, Gray	S	S	S	S
	VG3	Bumper, front, chrome, with Gray lower	S	S	S	S
	V43	Bumper, rear, painted step, includes pad				S
		<b>Daytime running lamps</b> , includes automatic exterior lamp control	S	S	S	S
		Glass, Solar-Ray light tinted, all windows	S	S		S
		Grille, Gray surround				S

### 2004 Chevrolet Truck Silverado 3500 STANDARD EQUIPMENT

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Headlamps, dual halogen composite, includes flash-to-pass feature and automatic lamp control	S	S	S	S
		Lamps, dual cargo area lamps	S	S	S	S
	D44	Mirrors, outside rearview, foldaway, manual, Black, below eye-line, adjustable heads 1 - Standard on (C7W) GVWR, 11,400 lbs. (5171 kg) only.	S1			S1
	DE2	Mirrors, outside rearview, foldaway, manual, Black, adjustable heads 1 - Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only Not available with (C7W) GVWR, 11,400 lbs. (5171 kg).	S <sup>1</sup>			S1
	ZY1	Paint, solid	S	S	S	S
	E63	Pickup bed, Fleetside box	S	S	S	S
	QER	Tires, LT265/75R16E, on-/off-road, blackwall 1 - Requires CK35903, CK35943, or CK35953 Models and (C4M) GVWR, 9900 lbs. (4491 kg) Includes 5 tires with (E63) Pickup bed, Fleetside box Includes 4 tires with (ZW9) Pickup bed, delete. 2 - Requires CK35943 or CK35953 Models and (C4M) GVWR, 9900 lbs. (4491 kg) Includes 5 tires with (E63) Pickup bed, Fleetside box Includes 4 tires with (ZW9) Pickup bed, delete.	S1	S <sup>1</sup>	S <sup>2</sup>	S1
		<b>Tire carrier,</b> outside spare, winch-type mounted under frame at rear	S	S	S	S
		Single rear wheels 1 - Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only Requires 4WD Models Not available with (C7W) GVWR, 11,400 lbs. (5171 kg)	S1	S <sup>1</sup>	S <sup>1</sup>	S1
		Dual rear wheels 1 - Standard on (C7W) GVWR, 11,400 lbs. (5171 kg) only.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, painted (dual rear), includes painted center caps and steel spare 1 - Requires and only available with (C7W) GVWR, 11,400 lbs. (5171 kg) (dual rear wheel)				S1
	QC1	<ul> <li>Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel (single rear wheel)</li> <li>1 - Center Cap is Argent Standard with (C4M) GVWR, 9900 lbs. (4491 kg) only.</li> <li>2 - Center Cap is chrome Standard with (C4M) GVWR, 9900 lbs. (4491 kg) only.</li> </ul>	S <sup>1</sup>	S²	S <sup>2</sup>	S1
	B71	Wheel flares, front only 1 - With (C4M) GVWR, 9900 lbs. includes rear wheel flares.	S <sup>1</sup>	S1	S1	S1
		Wipers, intermittent, front, wet-arm with pulse washers	S	S	S	S
	K68	Alternator, 105 amps	S	S	S	S

# 2004 Chevrolet Truck Silverado 3500 STANDARD EQUIPMENT

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Battery, heavy-duty, 600 cold-cranking amps, includes rundown protection and retained accessory power 1 - Not standard with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	S1	S1	S1	S1
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S
	KC4	<b>Cooling,</b> external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank	S	S	S	S
	LQ4	Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lbft. [486.6 N-m] @ 4000 rpm)	S	S	S	S
		Exhaust, aluminized stainless-steel muffler and tailpipe	S	S	S	S
		Frame, ladder-type	S	S	S	S
	GT5	Rear axle, 4.10 ratio 1 - Refer to Engine/Axle Chart for availability.	S1	S1	S1	S1
		Steering, power	S	S	S	S
		<b>Suspension,</b> front, independent torsion bar, and stabilizer bar	S	S	S	S
		Suspension, rear, 3-stage springs	s	S	S	S
	Z85	Suspension Package, Handling/Trailering, heavy-duty	S	S	S	S
	NP2	Transfer case, floor-mounted shifter 1 - Standard with 4WD Models Requires (AE7) Seats, front 40/20/40 split-bench.	S <sup>1</sup>	S <sup>1</sup>		S1
	MW3	Transmission, 5-speed manual 1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI and (AE7) Seats, front 40/20/40 split-bench Not available with (C4M) GVWR, 9,900 lbs.	S1	S1		S1
MT1		<ul> <li>Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and (KNP) Cooling, external transmission oil cooler</li> <li>1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only.</li> <li>2 - Requires (LQ4) Engine, Vortec 6000 V8 SFI.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	S <sup>2</sup>	A <sup>1</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available

Included in Equipment Group

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
CJ2		<ul> <li>Air conditioning, dual-zone, automatic, individual climate settings for driver and right front passenger</li> <li>1 - Requires Extended or Crew Cab Models Not available with (VYU) Snow Plow Prep Package.</li> <li>2 - Must be substituted with (CJ3) Air conditioning, dual-zone, manual when (VYU) Snow Plow Prep Package is ordered.</li> </ul>		A <sup>1</sup>	□ <sup>2</sup>	
	D07	Console, floor, includes storage compartment and dual cupholders 1 - Included and only available with (A95) Seats, front reclining buckets.		A <sup>1</sup>	-	
	DK7	Console, overhead mini, includes map lights				
K34		Cruise control, electronic with set and resume speed, includes telltale in instrument panel cluster				A
C49		<b>Defogger</b> , rear-window, electric 1 - Not available with (A28) Window, rear sliding. 2 - Deleted when (A28) Window, rear sliding is ordered. 3 - Available with Fleet and Government order types only.	A1	<b>₽</b> <sup>2</sup>	■ <sup>2</sup>	A <sup>3</sup>
AU3		Door locks, power 1 - Available with Fleet and Government order types only.	A			A <sup>1</sup>
B30		Floor covering, color-keyed carpeting and rubberized vinyl floormats 1 - May be substituted with (BG9) Floor covering, rubberized vinyl. 2 - Requires FBC or Government order types only.	A	□ <sup>1</sup>		A²
	AU0	<b>Keyless entry,</b> remote, includes 2 transmitters, panic button and content theft alarm				
	DF5	<b>Mirror</b> , inside rearview, electrochromic (light-sensitive auto dimming), 8-point compass and outside temperature indicator				

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
UE1		OnStar, 1-year Safe and Sound Service, includes automatic notification of air bag deployment, emergency services, roadside assistance, stolen vehicle tracking, AccidentAssist, remote door unlock, remote diagnostics, online concierge and remote horn and lights. Drivers can also opt for other available OnStar services, including making and receiving voice-activated, hands-free phone calls with Personal Calling and getting location-based traffic and weather reports with Virtual Advisor 1 - Requires (UK3) Sound system feature, steering wheel mounted radio controls. Visit www.onstar.com for system information and details.		A <sup>1</sup>		
	AN3	<b>Seats,</b> front power reclining full-feature buckets, includes adjustable head restraints, floor console, driver and passenger power lumbar, driver and front passenger 10-way power adjustable, dual inboard armrests, heated driver and passenger cushion and back, 2-position driver-side memory and storage pockets			•	
AG1		<ul> <li>Seat adjuster, power, driver 6-way</li> <li>1 - Included with (A95) Seats, front reclining buckets Included with (**2) Seat trim, leather on Extended and Crew Cab Models.</li> <li>2 - With (AN3) Seats, front power reclining full-feature buckets, includes 10-way adjuster.</li> </ul>		A <sup>1</sup>	■ <sup>2</sup>	
	AG2	Seat adjuster, power, front passenger 10-way 1 - Included and only available with (AN3) Seats, front power reclining full-feature buckets.			∎ 1	
UBO		Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS) 1 - Requires (AE7) Seats, front 40/20/40 split-bench Upgradeable to (UB1) Sound system, ETR AM/FM stereo with CD and cassette player or (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer on Extended and Crew Cab Models Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.				A
UC6		<ul> <li>Sound system, ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS), and Bose speaker system (includes 6-speakers, Bose amplifier and Bose Subwoofer)</li> <li>1 - Requires (A95) Seats, front reclining buckets Not available with Regular Cab Models.</li> <li>2 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD and cassette player.</li> </ul>		A <sup>1</sup>		
UK3		Sound system feature, steering wheel mounted radio controls, Radio and Driver Information Center (DIC). Provides access to enhanced Driver Information Center (DIC) features and information		A		

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
	UK6	<ul> <li>Sound system feature, rear audio controls, includes dual headphone jacks (headphones not included), power outlet and controls for volume, station selection and media</li> <li>1 - Requires Crew Cab Models Included with (A95) Seats, front reclining buckets.</li> <li>2 - Requires Crew Cab Models.</li> </ul>		A <sup>1</sup>	■ 2	
	NP5	Steering wheel, leather-wrapped rim, Black, steel sleeve, includes theft-deterrent locking feature				
	A31	Windows, power, includes driver and passenger express-down				
VB3		Bumper, rear, chrome step, includes pad 1 - Not available with (ZW9) Pickup bed, delete.	∎ <sup>1</sup>	■1	■ <sup>1</sup>	A <sup>1</sup>
Т96		Fog lamps, front, halogen 1 - With 2WD Models requires (V76) Recovery hooks, 2 front, frame-mounted.		A <sup>1</sup>	-	
AJ1		Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger) 1 - With Extended Cab Models, includes rear window and rear quarter windows With (C49) Defogger, rear-window, electric, includes light-tinted rear window.	A1	A <sup>1</sup>	■ <sup>1</sup>	A <sup>1</sup>
TR3		Grille, color-keyed surround, with chrome accent bar 1 - Must specify.	A <sup>1</sup>			
	DL8	Mirrors, outside rearview, manual folding, power, heated, Black 1 - May be substituted with (DPF) Mirrors, outside rearview, power, heated, camper-style or upgradeable to (DL3) Mirrors, outside rearview, power folding, power, heated, Black when (C4M) GVWR, 9,900 lbs. is ordered.				
V76		Recovery hooks, 2 front, frame-mounted 1 - Standard on 4WD Models only.	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
	P06	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, with bright metal rings and chrome center caps and steel spare 1 - Requires and only available with (C7W) GVWR, 11,400 lbs. (5171 kg) (dual rear wheel)	∎ <sup>1</sup>	∎ <sup>1</sup>	<b>■</b> <sup>1</sup>	
NP1		Transfer case, electronic shift, includes push-button controls 1 - Requires 4WD Models Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Transmission, Allison 1000 5-speed automatic.		A <sup>1</sup>	■ <sup>1</sup>	

S = Standard Equipment A = Available -- (dashes) = Not Available

Included in Equipment Group

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
CJ2		<ul> <li>Air conditioning, dual-zone, automatic, individual climate settings for driver and right front passenger</li> <li>1 - Requires Extended or Crew Cab Models Not available with (VYU) Snow Plow Prep Package.</li> <li>2 - Must be substituted with (CJ3) Air conditioning, dual-zone, manual when (VYU) Snow Plow Prep Package is ordered.</li> </ul>		A <sup>1</sup>	□ <sup>2</sup>	
	D07	Console, floor, includes storage compartment and dual cupholders 1 - Included and only available with (A95) Seats, front reclining buckets.		A <sup>1</sup>	-	
	DK7	Console, overhead mini, includes map lights				
K34		Cruise control, electronic with set and resume speed, includes telltale in instrument panel cluster				A
C49		<b>Defogger</b> , rear-window, electric 1 - Not available with (A28) Window, rear sliding. 2 - Deleted when (A28) Window, rear sliding is ordered. 3 - Available with Fleet and Government order types only.	A1	<b>₽</b> <sup>2</sup>	■ <sup>2</sup>	A <sup>3</sup>
AU3		Door locks, power 1 - Available with Fleet and Government order types only.	A			A <sup>1</sup>
B30		Floor covering, color-keyed carpeting and rubberized vinyl floormats 1 - May be substituted with (BG9) Floor covering, rubberized vinyl. 2 - Requires FBC or Government order types only.	A	□ <sup>1</sup>		A²
	AU0	<b>Keyless entry,</b> remote, includes 2 transmitters, panic button and content theft alarm				
	DF5	<b>Mirror</b> , inside rearview, electrochromic (light-sensitive auto dimming), 8-point compass and outside temperature indicator				

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
UE1		OnStar, 1-year Safe and Sound Service, includes automatic notification of air bag deployment, emergency services, roadside assistance, stolen vehicle tracking, AccidentAssist, remote door unlock, remote diagnostics, online concierge and remote horn and lights. Drivers can also opt for other available OnStar services, including making and receiving voice-activated, hands-free phone calls with Personal Calling and getting location-based traffic and weather reports with Virtual Advisor 1 - Requires (UK3) Sound system feature, steering wheel mounted radio controls. Visit www.onstar.com for system information and details.		A <sup>1</sup>		
	AN3	<b>Seats,</b> front power reclining full-feature buckets, includes adjustable head restraints, floor console, driver and passenger power lumbar, driver and front passenger 10-way power adjustable, dual inboard armrests, heated driver and passenger cushion and back, 2-position driver-side memory and storage pockets			•	
AG1		<ul> <li>Seat adjuster, power, driver 6-way</li> <li>1 - Included with (A95) Seats, front reclining buckets Included with (**2) Seat trim, leather on Extended and Crew Cab Models.</li> <li>2 - With (AN3) Seats, front power reclining full-feature buckets, includes 10-way adjuster.</li> </ul>		A <sup>1</sup>	■ <sup>2</sup>	
	AG2	Seat adjuster, power, front passenger 10-way 1 - Included and only available with (AN3) Seats, front power reclining full-feature buckets.			∎ 1	
UBO		Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS) 1 - Requires (AE7) Seats, front 40/20/40 split-bench Upgradeable to (UB1) Sound system, ETR AM/FM stereo with CD and cassette player or (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer on Extended and Crew Cab Models Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.				A
UC6		<ul> <li>Sound system, ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS), and Bose speaker system (includes 6-speakers, Bose amplifier and Bose Subwoofer)</li> <li>1 - Requires (A95) Seats, front reclining buckets Not available with Regular Cab Models.</li> <li>2 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD and cassette player.</li> </ul>		A <sup>1</sup>		
UK3		Sound system feature, steering wheel mounted radio controls, Radio and Driver Information Center (DIC). Provides access to enhanced Driver Information Center (DIC) features and information		A		

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
	UK6	<ul> <li>Sound system feature, rear audio controls, includes dual headphone jacks (headphones not included), power outlet and controls for volume, station selection and media</li> <li>1 - Requires Crew Cab Models Included with (A95) Seats, front reclining buckets.</li> <li>2 - Requires Crew Cab Models.</li> </ul>		A <sup>1</sup>	■ 2	
	NP5	Steering wheel, leather-wrapped rim, Black, steel sleeve, includes theft-deterrent locking feature				
	A31	Windows, power, includes driver and passenger express-down				
VB3		Bumper, rear, chrome step, includes pad 1 - Not available with (ZW9) Pickup bed, delete.	∎ <sup>1</sup>	■1	■ <sup>1</sup>	A <sup>1</sup>
Т96		Fog lamps, front, halogen 1 - With 2WD Models requires (V76) Recovery hooks, 2 front, frame-mounted.		A <sup>1</sup>	-	
AJ1		Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger) 1 - With Extended Cab Models, includes rear window and rear quarter windows With (C49) Defogger, rear-window, electric, includes light-tinted rear window.	A1	A <sup>1</sup>	■ <sup>1</sup>	A <sup>1</sup>
TR3		Grille, color-keyed surround, with chrome accent bar 1 - Must specify.	A <sup>1</sup>			
	DL8	Mirrors, outside rearview, manual folding, power, heated, Black 1 - May be substituted with (DPF) Mirrors, outside rearview, power, heated, camper-style or upgradeable to (DL3) Mirrors, outside rearview, power folding, power, heated, Black when (C4M) GVWR, 9,900 lbs. is ordered.				
V76		Recovery hooks, 2 front, frame-mounted 1 - Standard on 4WD Models only.	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
	P06	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, with bright metal rings and chrome center caps and steel spare 1 - Requires and only available with (C7W) GVWR, 11,400 lbs. (5171 kg) (dual rear wheel)	∎ <sup>1</sup>	∎ <sup>1</sup>	<b>■</b> <sup>1</sup>	
NP1		Transfer case, electronic shift, includes push-button controls 1 - Requires 4WD Models Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Transmission, Allison 1000 5-speed automatic.		A <sup>1</sup>	■ <sup>1</sup>	

		ADDITIONAL OPTIONS	;			
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
CJ3		Air conditioning, dual-zone, manual, individual climate settings for driver and right front passenger 1 - Only available (and also required) when (VYU) Snow Plow Prep Package is ordered on LT.	S	S	A <sup>1</sup>	S
C42		Air conditioning delete, provides heater only 1 - Requires Regular Cab Models.				A <sup>1</sup>
CJ2		<ul> <li>Air conditioning, dual-zone, automatic, individual climate settings for driver and right front passenger</li> <li>1 - Requires Extended or Crew Cab Models Not available with (YU) Snow Plow Prep Package.</li> <li>2 - Must be substituted with (CJ3) Air conditioning, dual-zone, manual when (VYU) Snow Plow Prep Package is ordered.</li> </ul>		A <sup>1</sup>	□ <sup>2</sup>	
K34		<b>Cruise control</b> , electronic with set and resume speed, includes telltale in instrument panel cluster		•		A
C49		Defogger, rear-window, electric 1 - Not available with (A28) Window, rear sliding. 2 - Deleted when (A28) Window, rear sliding is ordered. 3 - Available with Fleet and Government order types only.	A <sup>1</sup>	■ <sup>2</sup>	■ <sup>2</sup>	A <sup>3</sup>
AU3		Door locks, power 1 - Available with Fleet and Government order types only.	А			A <sup>1</sup>
BG9		Floor covering, rubberized vinyl, Black 1 - Not available with (922) Medium Gray Leather Interior trim.	S	A <sup>1</sup>		S
B30		<ul> <li>Floor covering, color-keyed carpeting and rubberized vinyl floormats</li> <li>1 - May be substituted with (BG9) Floor covering, rubberized vinyl.</li> <li>2 - Requires FBC or Government order types only.</li> </ul>	A	□ <sup>1</sup>		A <sup>2</sup>
UE1		OnStar, 1-year Safe and Sound Service, includes automatic notification of air bag deployment, emergency services, roadside assistance, stolen vehicle tracking, AccidentAssist, remote door unlock, remote diagnostics, online concierge and remote horn and lights. Drivers can also opt for other available OnStar services, including making and receiving voice-activated, hands-free phone calls with Personal Calling and getting location-based traffic and weather reports with Virtual Advisor 1 - Requires (UK3) Sound system feature, steering wheel mounted radio controls. Visit www.onstar.com for system information and details.		A <sup>1</sup>		

		ADDITIONAL OPTIONS	5			
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
A95		Seats, front reclining buckets, dual adjustable head restraints, (AG1) Seat adjuster, power driver 6-way, passenger manual recline, inboard armrests, and storage pockets 1 - Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Allison 1000 5-speed automatic Not available with Regular Cab Models or (UB0) Sound system, ETR AM/FM stereo with CD player With 4WD models requires (NP1) Transfer case, electronic shift.		A <sup>1</sup>		
AG1		<ul> <li>Seat adjuster, power, driver 6-way</li> <li>1 - Included with (A95) Seats, front reclining buckets Included with (**2) Seat trim, leather on Extended and Crew Cab Models.</li> <li>2 - With (AN3) Seats, front power reclining full-feature buckets, includes 10-way adjuster.</li> </ul>		A <sup>1</sup>	■ <sup>2</sup>	
DNH		NEW! Regular production accessory, underseat storage, rear, lockable. This is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Requires Extended Cab Models.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UBO		Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS) 1 - Requires (AE7) Seats, front 40/20/40 split-bench Upgradeable to (UB1) Sound system, ETR AM/FM stereo with CD and cassette player or (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer on Extended and Crew Cab Models Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.				A
UB1		<b>Sound system</b> , ETR AM/FM stereo with CD and cassette player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS) and 4-speakers on Regular Cab Models, 6-speakers on Extended and Crew Cab Models (with bucket seats UB1 includes Bose speaker system, Bose amplifier and Bose subwoofer)		A	A	
UC6		<ul> <li>Sound system, ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS), and Bose speaker system (includes 6-speakers, Bose amplifier and Bose Subwoofer)</li> <li>1 - Requires (A95) Seats, front reclining buckets Not available with Regular Cab Models.</li> <li>2 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD and cassette player.</li> </ul>		A <sup>1</sup>	□ <sup>2</sup>	

		ADDITIONAL OPTIONS				
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
U42		<ul> <li>Entertainment system, rear seat includes DVD player,</li> <li>LCD display, wireless headphones and remote control</li> <li>1 - Requires (A95) Seats, front reclining buckets, Crew Cab</li> <li>Models and (CJ2) Air conditioning, dual- zone, automatic</li> <li>Not available with (UB0) Sound system, ETR AM/FM stereo</li> <li>with CD player.</li> <li>2 - Requires Crew Cab Models and (CJ2) Air conditioning,</li> <li>dual-zone, automatic.</li> </ul>		A <sup>1</sup>	A <sup>2</sup>	
U2K		Sound system feature, XM Satellite Radio is 100 channels of digital quality sound that goes wherever you go - coast to coast. Displays song title, artist and entertainment genre. 1 - Subscription fees apply. Available only in the 48 contiguous U.S.		A <sup>1</sup>	A <sup>1</sup>	
UK3		<b>Sound system feature</b> , steering wheel mounted radio controls, Radio and Driver Information Center (DIC). Provides access to enhanced Driver Information Center (DIC) features and information		A	-	
A28		NEW! Window, rear sliding, manual, deep-tinted 1 - Requires (AJ1) Glass, Solar-Ray deep tinted Deletes or not available with (C49) Defogger, rear-window, electric when ordered. Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A1
VB3		Bumper, rear, chrome step, includes pad 1 - Not available with (ZW9) Pickup bed, delete.	∎ <sup>1</sup>	∎ <sup>1</sup>	■ <sup>1</sup>	A <sup>1</sup>
VF7		<ul> <li>Bumper, rear, delete (vehicles registered in certain states must have a rear bumper to be operated on their roads, consult local laws)</li> <li>1 - Not available with (Z82) Trailering equipment, heavy-duty or (ZW9) Pickup bed, delete.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
Т96		Fog lamps, front, halogen 1 - With 2WD Models requires (V76) Recovery hooks, 2 front, frame-mounted.		A <sup>1</sup>		
AJ1		Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger) 1 - With Extended Cab Models, includes rear window and rear quarter windows With (C49) Defogger, rear-window, electric, includes light-tinted rear window.	A <sup>1</sup>	A <sup>1</sup>	∎ 1	A <sup>1</sup>
TR3		Grille, color-keyed surround, with chrome accent bar 1 - Must specify.	A <sup>1</sup>			
U01		Lamps, amber roof marker 1 - Standard on (C7W) GVWR, 11,400 lbs. (5171 kg) only.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
DF2		<b>Mirrors,</b> outside rearview, foldaway, manual, camper-style, stainless steel, high visibility, extendable, includes dual segment mirror on driver's side that provides enhanced wide angle capacity (not recommended for bodies or trailers wider than 86" [218.4 cm])	A			A

		ADDITIONAL OPTIONS	5			
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	·		Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
DL3		<ul> <li>Mirrors, outside rearview, power folding, power, heated, Black, driver side electrochromic (light-sensitive auto dimming), turn signal in glass, and curb-tilt</li> <li>1 - Requires (C4M) GVWR, 9900 Ibs.(4491 kg) Curb-tilt feature requires (UK3) Sound system feature, steering wheel mounted radio controls.</li> <li>2 - Requires (C4M) GVWR, 9900 Ibs. (4491 kg) Includes memory feature.</li> </ul>		A <sup>1</sup>	A <sup>2</sup>	
DPF		<b>Mirrors,</b> outside rearview, power, heated, camper-style, includes power extending arms and turn signal in glass		A	A	
ZW9		Pickup bed, delete 1 - Requires CK35903 and C*35943 Models. 2 - Requires C*35943 Models.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
V76		Recovery hooks, 2 front, frame-mounted 1 - Standard on 4WD Models only.	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
BVE		Regular production accessory, Assist steps, chrome plated tubular, stainless steel. These steps are dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
BVS		Regular production accessory, Assist steps, Black coated tubular, stainless steel. These steps are dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PPB		Regular production accessory, Pickup bed extender, brushed aluminum. The extender is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
E95		Regular production accessory, Tonneau cover, Black, soft. The cover is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

		ADDITIONAL OPTIONS	3			
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
EN6		Regular production accessory, Tonneau cover, Black, hard, folding, lockable. The cover is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A1	A <sup>1</sup>
ХҮК		Tires, LT215/85R16D, all-season, blackwall 1 - Requires and standard on CK35903 and (C7W) GVWR, 11,400 lbs., CC35953 or CC35943 Models Not available with CK35903 and (VYU) Snow Plow Prep Package Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
XYL		Tires, LT215/85R16D, on-/off-road, blackwall 1 - Requires CK35903 and (C7W) GVWR, 11,400 lbs. (5171 kg), CC35953 or CC35943 Models Not available with CK35903 and (VYU) Snow Plow Prep Package Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs. (4491 kg).	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
XEC		Tires, LT215/85R16E, all-season, blackwall 1 - Requires and standard on CK35903 and (VYU) Snow Plow Prep Package or CK35953 or CK35943 Models and (C7W) GVWR, 11,400 lbs Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs.	A1	A1	A <sup>1</sup>	A <sup>1</sup>
XEF		Tires, LT215/85R16E, on-/off-road, blackwall 1 - Requires CK35903 and (VYU) Snow Plow Prep Package or CK35953 or CK35943 Models and (C7W) GVWR, 11,400 lbs Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
ZER		Tire, spare LT265/75R16E, on-/off-road, blackwall 1 - Requires CK35903, CK35943, or CK35953 Models, (C4M) GVWR, 9900 lbs (4491 kg), (ZW9) Pickup bed, delete, and (QER) Tires, LT265/75R16E on-/off-road, blackwall. 2 - Requires CK35943 or CK35953 Models, (C4M) GVWR, 9900 lbs (4491 kg), (ZW9) Pickup bed, delete, and (QER) Tires, LT265/75R16E on-/off-road, blackwall.	A <sup>1</sup>	A <sup>1</sup>	A²	A <sup>1</sup>
ZYK		<ul> <li>Tire, spare LT215/85R16D, all-season, blackwall, located at rear underbody of vehicle</li> <li>1 - Requires CK35903 or CC35943 Models and (ZW9) Pickup bed, delete and (XYK) Tires, LT215/85R16D, all-season, blackwall With CK35903, not available with (VYU) Snow Plow Prep Package Not available with (C4M) GVWR, 9900 lbs.</li> <li>2 - Requires CC35943 Models and (ZW9) Pickup bed, delete and (XYK) Tires, LT215/85R16D, all-season, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. and Crew Cab		Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK2E002 C*2E0E2 and C*2E042 Madala	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
ZYL		<ul> <li>Tire, spare LT215/85R16D, on-/off-road, blackwall, located at rear underbody of vehicle</li> <li>1 - Requires CK35903 or CC35943 Models and (ZW9) Pickup bed, delete and (XYL) Tires, LT215/85R16D, on-/off-road, blackwall With CK35903, not available with (VYU) Snow Plow Prep Package Not available with (C4M) GVWR, 9900 lbs.</li> <li>2 - Requires CC35943 Models and (ZW9) Pickup bed, delete and (XYL) Tires, LT215/85R16D, on-/off- road, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
ZEC		<ul> <li>Tire, spare LT215/85R16E, all-season, blackwall, located at rear underbody of vehicle</li> <li>1 - Requires CK35903 and (VYU) Snow Plow Prep Package or CK35943 Models. Requires (ZW9) Pickup bed, delete and (XEC) Tires, LT215/85R16E, all-season, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> <li>2 - Requires CK35943 Models, (ZW9) Pickup bed, delete and (XEC) Tires, LT215/85R16E, all-season, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
ZEF		<ul> <li>Tire, spare LT215/85R16E, on-/off-road, blackwall, located at rear underbody of vehicle</li> <li>1 - Requires CK35903 and (VYU) Snow Plow Prep Package or CK35943 Models. Requires (ZW9) Pickup bed, delete and (XEF) Tires, LT215/85R16E, on-/off-road, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> <li>2 - Requires CK35943 Models, (ZW9) Pickup bed, delete and (XEF) Tires, LT215/85R16E, on-/off-road, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
SAF		Spare tire lock, keyed cylinder lock that utilizes same key as ignition and door 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
K47		Air cleaner, high-capacity 1 - Included with (LLY) Engine, Duramax 6600 Turbo Diesel V8 Included with (Z82) Trailering equipment, heavy-duty Included with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
KL5		Alternative fuel conversions, conversion-ready engine, includes internal modifications for operation with natural or propane gas 1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI and (MT1) Transmission, 4-speed automatic, heavy-duty.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A1
TP2		Battery, auxiliary heavy-duty, 600 cold-cranking amps, includes rundown protection and retained accessory power 1 - Not available with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		Cooling, internal transmission oil cooler, water-to-oil, integral to driver side of radiator tank 1 - Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty Included with (M74) Transmission, Allison 1000 5-speed automatic.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

		ADDITIONAL OPTIONS	;			
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
G80		Differential, locking, heavy-duty, rear 1 - Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
FE9		Emissions, Federal requirements	А	А	А	А
YF5		Emissions, California state requirements	А	А	А	А
NE1		Emissions, Maine, Massachusetts, New York or Vermont state requirements	А	A	A	A
VCL		Emissions Certification, CFF (Clean Fuel Fleet) LEV (Low Emission Vehicle). Option (VCL) should ONLY be ordered to receive the CFF LEV certification. If VCL is not ordered, the vehicle will be produced with your normally selected emission system and may not be CFF LEV certified. Products ordered with the VCL option may not be certified to California emission requirements. Therefore, they may not be legal for registration in California, New York, Massachusetts, Maine and Vermont. Option YF5 should be ordered for all vehicles ordered in California 1 - Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Transmission, Allison 1000 5-speed automatic.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>
NB8		Emissions override, California, Massachusetts, New York or Vermont (for vehicles ordered by dealers in states of California, Massachusetts, New York or Vermont with Federal emissions) 1 - Requires (FE9) Emissions, Federal requirements.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NC7		Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with California, New York, Vermont, Massachusetts or Maine emissions; may also be used by dealers in states of California, New York, Vermont, Massachusetts or Maine to order different state-specific emissions) 1 - Requires (YF5) Emissions, California state requirements or (NE1) Emissions, New York, Vermont, Massachusetts or Maine state requirements.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
K05		Engine block heater 1 - Included with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
L18		Engine, Vortec 8100 V8 SFI (330 HP [245.8 kW] @ 4200 rpm, 450 lbft. [607.5 N-m] @ 3200 rpm)	A	A	A	A

		ADDITIONAL OPTIONS	;			
Free Flow	Ref. Only	Description	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	<ol> <li>Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models.</li> <li>Equipment group 1SC available on C*35953 and C*35943 Models.</li> </ol>	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
LLY		<ul> <li>Engine, Duramax 6600 Turbo Diesel V8 (with Manual Transmissions 300 HP [223.8 kW] @ 3000 rpm, 520 lbft.</li> <li>[702.0 N-m] @ 1600 rpm) (with Automatic Transmissions 310 HP [231.2 KW] @ 3000 rpm, 590 lbft. [796.5 N-m] @ 1600 rpm)</li> <li>1 - Includes (TQ3) Battery, heavy-duty dual, 770 cold-cranking amps, (K05) Engine block heater and (K47) Air cleaner, high capacity.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
V10		Covers, radiator grille and front bumper openings, for diesel engines in winter weather 1 - Requires (LLY) Engine, Duramax 6600 Turbo Diesel V8 and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
C7W		GVWR, 11,400 lbs. (5171 kg) 1 - Includes dual rear wheels.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
C4M		GVWR, 9900 lbs. (4490 kg) 1 - Requires CK35903, CK35943 or CK35953 Models and includes single rear wheels only.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PDN		<b>Heavy-Duty Power Package,</b> includes (LLY) Engine, Duramax 6600 Turbo Diesel, (M74) Transmission, Allison 1000 5-speed automatic and (G80) Differential, locking, heavy-duty, rear	A	A	A	A
GT4		Rear axle, 3.73 ratio 1 - Refer to Engine/Axle Chart for availability.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NZZ		Skid Plate Package, includes aluminum front underbody shield starting behind front bumper and running to 1st cross-member, protecting front underbody, oil pan, differential case and transfer case, frame-mounted shields 1 - Requires 4WD Models Included with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

		ADDITIONAL OPTIONS	5			
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code Code 2	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
VYU		Snow Plow Prep Package, includes 10-amp power for backup and roof emergency light, 145-amp alternator, high-flow front bumper, forward lamp wiring harness, 1.65" (42 mm) access hole with grommet in front of dash panel, mounting location for snow plow controls, instrument panel jumper wiring harness for electric trailer brake controller, includes (NZZ) Skid Plate Package and (K47) Air cleaner, high capacity 1 - Requires 4WD Models and not available with (CJ2) air conditioning, dual-zone, automatic With Models CK35903 and (C7W) GVWR, 11,400 lbs. (5171 kg) requires (XEC) Tires, LT215/85R16E, all-season, blackwall or (XEF) Tires, LT215/85R16E, on-/off-road, blackwall. With Models CK35903 and (C4M) GVWR, 9900 lbs. (4491 kg) not available with (LLY) Engine, Duramax 6600 Turbo Diesel V8. With Models CK35953 and (C7W) GVWR, 11,400 lbs. (5171 kg) not available with (LLY) Engine, Duramax 6600 Turbo Diesel V8. With Models CK35953 and (C4M) GVWR, 9900 lbs. (4491 kg), requires (C4V), GVWR, 11,400 lbs. (5171 kg) and (LQ4) Engine, Vortec 6000 V8 SFI and not available with (C4M) GVWR, 9900 lbs. (4491 kg).	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A1
Z82		Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness (harness includes wires for: park lamps, backup lamps, right turn, left turn, electric brake lead, battery and ground) with independent fused trailering circuits mated to a 7-way sealed connector, 7-way to 4-way trailer adapter, instrument panel jumper wiring harness for electric trailer brake controller, and 1-way sealed connector for center high-mounted stop/brake lamp. Also includes (K47) Air cleaner, high capacity 1 - Not available with (ZW9) Pickup bed, delete or (VF7) Bumper, rear, delete. 2 - Not available with (ZW9) Pickup bed, delete.	A1	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
UY2		Trailering wiring provisions, for camper, 5th wheel and gooseneck trailer, includes additional 8-way wiring harness routed to front of Pickup box and added 7-way sealed connector for the trailer harness 1 - Requires (Z82) Trailering equipment, heavy-duty.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NP1		Transfer case, electronic shift, includes push-button controls 1 - Requires 4WD Models Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Transmission, Allison 1000 5-speed automatic.		A <sup>1</sup>	∎1	

	ADDITIONAL OPTIONS						
Free Flow	Flow RPO         Only RPO         Description           Code         Code         1 - Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models.           2 - Equipment group 1SC available on C*35953 and C*35943 Models.	-	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab	
		Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>		
MT1		<ul> <li>Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and (KNP) Cooling, external transmission oil cooler</li> <li>1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI Standard on (C4M) GVWR, 9900 Ibs. (4491 kg) only.</li> <li>2 - Requires (LQ4) Engine, Vortec 6000 V8 SFI.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	S <sup>2</sup>	A <sup>1</sup>	
ML6		Transmission, 6-speed manual, heavy-duty with overdrive 1 - Requires (AE7) Seats, front 40/20/40 split-bench and (LLY) Engine, Duramax 6600 Turbo Diesel V8 or (L18) Engine, Vortec 8100 V8 SFI Not available with (C4M) GVWR, 9,900 lbs.	A1	A <sup>1</sup>		A <sup>1</sup>	
M74		Transmission, Allison 1000 5-speed automatic, electronically controlled with overdrive, tow/haul mode, (KNP) Cooling, external transmission oil cooler and electronic engine grade braking 1 - Requires (LLY) Engine, Duramax 6600 Turbo Diesel V8 or (L18) Engine, Vortec 8100 V8 SFI.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow	Ref. Only	Description	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	1 - Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
VB3		Bumper, rear, chrome step				
K34		Cruise control				
	P06	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel				
UB0		Sound system, ETR AM/FM stereo with CD player 1 - Requires (AE7) Seats, front 40/20/40 split-bench Upgradeable to (UB1) Sound system, ETR AM/FM stereo with CD and cassette player or (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer on Extended and Crew Cab Models Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.		□ <sup>1</sup>		
	DK7	Console, overhead mini				
C49		Defogger, rear-window, electric				
AU3		Door locks, power				
B30		Floor covering, color-keyed carpeting 1 - May be substituted with (BG9) Floor covering, rubberized vinyl.			•	
TR3		Grille, color-keyed surround				
	AU0	Keyless entry, remote				
	DF5	Mirror, inside rearview, electrochromic				
	DL8	Mirrors, outside rearview, manual folding, power, heated, Black 1 - May be substituted with (DPF) Mirrors, outside rearview, power, heated, camper-style or upgradeable to (DL3) Mirrors, outside rearview, power folding, power, heated, Black when (C4M) GVWR, 9,900 lbs. is ordered.				
	NP5	Steering wheel, leather-wrapped rim				
	A31	Windows, power				
CJ2		Air conditioning, dual-zone, automatic 1 - Must be substituted with (CJ3) Air conditioning, dual-zone, manual when (VYU) Snow Plow Prep Package is ordered.				
	D07	Console, floor				
T96		Fog lamps, front				
AJ1		Glass, Solar-Ray deep tinted				
UE1		OnStar				
V76		Recovery hooks, 2 front, frame-mounted				

Published September 9, 2005 Page 21

# 2004 Chevrolet Truck Silverado 3500 PEG STAIRSTEP

Free Flow	Ref. Only	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. and Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab	
RPO Code	RPO Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
AG1		Seat adjuster, power, driver 6-way				
	AG2	Seat adjuster, power				
	AN3	Seats, front power reclining full-feature buckets				
UC6		Sound system, ETR AM/FM stereo with 6-disc CD changer 1 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD and cassette player.				
UK3		Sound system feature, steering wheel mounted radio controls				
	UK6	Sound system feature, rear audio controls				
NP1		Transfer case, electronic shift				

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only	RPO Code are for internal use onl	v and should not be ordered.

Free Flow	Ref. Only	Description	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	<ul> <li>1 - Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models.</li> <li>2 - Equipment group 1SC available on C*35953 and C*35943 Models.</li> </ul>	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Air bags, frontal, driver and right front passenger 1 - Regular and Extended Cab Models includes passenger side deactivation switch Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.	S1	S1	S1	S1
CJ3		Air conditioning, dual-zone, manual, individual climate settings for driver and right front passenger 1 - Only available (and also required) when (VYU) Snow Plow Prep Package is ordered on LT.	S	S	A <sup>1</sup>	S
C42		Air conditioning delete, provides heater only 1 - Requires Regular Cab Models.				A <sup>1</sup>
CJ2		<ul> <li>Air conditioning, dual-zone, automatic, individual climate settings for driver and right front passenger</li> <li>1 - Requires Extended or Crew Cab Models Not available with (VYU) Snow Plow Prep Package.</li> <li>2 - Must be substituted with (CJ3) Air conditioning, dual-zone, manual when (VYU) Snow Plow Prep Package is ordered.</li> </ul>		A <sup>1</sup>	□ <sup>2</sup>	
		Assist handle, front passenger 1 - Also includes rear outboard passenger assist handle on Extended and Crew Cab Models.	S1	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		Cigarette lighter, on instrument panel	S	S	S	S
		Coat hook, driver side 1 - Also includes passenger side coat hook on Extended and Crew Cab Models.	S1	S1	S <sup>1</sup>	S1
	D07	Console, floor, includes storage compartment and dual cupholders 1 - Included and only available with (A95) Seats, front reclining buckets.		A <sup>1</sup>		
	DK7	Console, overhead mini, includes map lights				
K34		<b>Cruise control</b> , electronic with set and resume speed, includes telltale in instrument panel cluster				А
		Cupholders, front 1 - Also includes rear cupholders on Extended and Crew Cab Models.	S1	S1	S1	S1
C49		Defogger, rear-window, electric 1 - Not available with (A28) Window, rear sliding. 2 - Deleted when (A28) Window, rear sliding is ordered. 3 - Available with Fleet and Government order types only.	A <sup>1</sup>	∎ <sup>2</sup>	■ <sup>2</sup>	A <sup>3</sup>

Free Flow RPO	Ref. Only RPO Code	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab Work Truck 1SW <sup>1</sup>
Code		CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	
AU3		Door locks, power 1 - Available with Fleet and Government order types only.	A			A <sup>1</sup>
		<ul> <li>Driver Information Center, includes trip odometer and message center (monitors numerous systems depending on vehicle equipment including low fuel, turn signal "on", transmission temperature, and oil change notification)</li> <li>1 - With (UK3) Sound system feature, steering wheel mounted radio controls, includes trip and fuel information selections and programmable personalization features.</li> </ul>	S	S <sup>1</sup>	S1	S
BG9		Floor covering, rubberized vinyl, Black 1 - Not available with (922) Medium Gray Leather Interior trim.	S	A1		S
B30		<ul> <li>Floor covering, color-keyed carpeting and rubberized vinyl floormats</li> <li>1 - May be substituted with (BG9) Floor covering, rubberized vinyl.</li> <li>2 - Requires FBC or Government order types only.</li> </ul>	A			A²
		<b>Instrumentation,</b> analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer	S	S	S	S
	AU0	<b>Keyless entry,</b> remote, includes 2 transmitters, panic button and content theft alarm				
		<b>Lighting,</b> dome lamp, reading, courtesy, illuminated entry feature, backlit instrument panel switches and door handle-activated illuminated entry	S	S	S	S
		Mirror, inside rearview, manual day/night	S			S
	DF5	<b>Mirror,</b> inside rearview, electrochromic (light-sensitive auto dimming), 8-point compass and outside temperature indicator				
UE1		OnStar, 1-year Safe and Sound Service, includes automatic notification of air bag deployment, emergency services, roadside assistance, stolen vehicle tracking, AccidentAssist, remote door unlock, remote diagnostics, online concierge and remote horn and lights. Drivers can also opt for other available OnStar services, including making and receiving voice-activated, hands-free phone calls with Personal Calling and getting location-based traffic and weather reports with Virtual Advisor 1 - Requires (UK3) Sound system feature, steering wheel mounted radio controls. Visit www.onstar.com for system information and details.		A <sup>1</sup>	•	
		<b>Power outlets,</b> auxiliary, covered, 2 dash-mounted, 12-volt	S	S	S	S
	**C	Seat trim, cloth 1 - Not available with Crew Cab Models.	A <sup>1</sup>			A <sup>1</sup>

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
	**V	Seat trim, vinyl	S			S
	**D	Seat trim, Custom Cloth		S		
	**2	Seat trim, leather 1 - Not available on Regular Cab Models Extended Cab includes front leather seating surfaces with rear vinyl bench Crew Cab includes front and rear leather appointed seating surfaces.		A <sup>1</sup>	S1	
	AE7	Seats, front 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining with outboard head restraints	S			S
	AE7	Seats, front 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining, center fold-down armrest with storage, adjustable outboard head restraints and storage pockets on Extended Cab Models 1 - Not available with (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer.		S <sup>1</sup>		
A95		Seats, front reclining buckets, dual adjustable head restraints, (AG1) Seat adjuster, power driver 6-way, passenger manual recline, inboard armrests, and storage pockets 1 - Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (MT4) Allison 1000 5-speed automatic Not available with Regular Cab Models or (UB0) Sound system, ETR AM/FM stereo with CD player With 4WD models requires (NP1) Transfer case, electronic shift.		A <sup>1</sup>		
	AN3	<b>Seats,</b> front power reclining full-feature buckets, includes adjustable head restraints, floor console, driver and passenger power lumbar, driver and front passenger 10-way power adjustable, dual inboard armrests, heated driver and passenger cushion and back, 2-position driver-side memory and storage pockets				
AG1		<ul> <li>Seat adjuster, power, driver 6-way</li> <li>1 - Included with (A95) Seats, front reclining buckets Included with (**2) Seat trim, leather on Extended and Crew Cab Models.</li> <li>2 - With (AN3) Seats, front power reclining full-feature buckets, includes 10-way adjuster.</li> </ul>		A <sup>1</sup>	■ <sup>2</sup>	
	AG2	Seat adjuster, power, front passenger 10-way 1 - Included and only available with (AN3) Seats, front power reclining full-feature buckets.			∎ 1	
		<ul> <li>Seats, rear 60/40 split-bench, flat folding, 3-passenger</li> <li>(includes child seat top tether anchor)</li> <li>1 - Not available with Regular Cab Models.</li> </ul>	S1	S <sup>1</sup>	S1	S1

Free Flow	Ref. Only	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
DNH		NEW! Regular production accessory, underseat storage, rear, lockable. This is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Requires Extended Cab Models.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	UM7	Sound system, ETR AM/FM stereo, includes seek-and-scan and digital clock				S
UB0		Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS) 1 - Requires (AE7) Seats, front 40/20/40 split-bench Upgradeable to (UB1) Sound system, ETR AM/FM stereo with CD and cassette player or (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer on Extended and Crew Cab Models Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.		1		A
UB1		<b>Sound system,</b> ETR AM/FM stereo with CD and cassette player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS) and 4-speakers on Regular Cab Models, 6-speakers on Extended and Crew Cab Models (with bucket seats UB1 includes Bose speaker system, Bose amplifier and Bose subwoofer)		A	A	
UC6		Sound system, ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS), and Bose speaker system (includes 6-speakers, Bose amplifier and Bose Subwoofer) 1 - Requires (A95) Seats, front reclining buckets Not available with Regular Cab Models. 2 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD and cassette player.		A <sup>1</sup>		
	UQ5	Sound system feature, 4-speakers	S			S
U42		<ul> <li>Entertainment system, rear seat includes DVD player,</li> <li>LCD display, wireless headphones and remote control</li> <li>1 - Requires (A95) Seats, front reclining buckets, Crew Cab</li> <li>Models and (CJ2) Air conditioning, dual- zone, automatic</li> <li>Not available with (UB0) Sound system, ETR AM/FM stereo</li> <li>with CD player.</li> <li>2 - Requires Crew Cab Models and (CJ2) Air conditioning,</li> <li>dual-zone, automatic.</li> </ul>		A <sup>1</sup>	A <sup>2</sup>	
U2K		Sound system feature, XM Satellite Radio is 100 channels of digital quality sound that goes wherever you go - coast to coast. Displays song title, artist and entertainment genre. 1 - Subscription fees apply. Available only in the 48 contiguous U.S.		A <sup>1</sup>	A <sup>1</sup>	

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab Work Truck 1SW <sup>1</sup>
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	
UK3		<b>Sound system feature</b> , steering wheel mounted radio controls, Radio and Driver Information Center (DIC). Provides access to enhanced Driver Information Center (DIC) features and information		A		
	UK6	<ul> <li>Sound system feature, rear audio controls, includes dual headphone jacks (headphones not included), power outlet and controls for volume, station selection and media</li> <li>1 - Requires Crew Cab Models Included with (A95) Seats, front reclining buckets.</li> <li>2 - Requires Crew Cab Models.</li> </ul>		A <sup>1</sup>	■ <sup>2</sup>	
		<b>Steering column,</b> Tilt-Wheel, adjustable, includes brake/transmission shift interlock	S	S	S	S
		Steering wheel, steel sleeve, includes theft-deterrent locking feature	S	-		S
	NP5	Steering wheel, leather-wrapped rim, Black, steel sleeve, includes theft-deterrent locking feature				
		Theft-deterrent system, PASSlock II	S	S	S	S
		<b>Tools</b> , mechanical jack and wheel wrench, spare tire assist hook, floor-mounted in back of cab	S	S	S	S
		<b>Visors,</b> padded, Shale-colored, driver and passenger side with cloth trim, extenders, pocket on driver side and vanity mirror on passenger side	S	S	S	S
		Warning tones, headlamp on, key-in-ignition, driver and passenger seat belt reminder, turn signal on	S	s	S	S
	A31	Windows, power, includes driver and passenger express-down				
		Windows, rear quarter swing-out 1 - Standard with Extended Cab Models only.	S1	S1	S1	S1
A28		NEW! Window, rear sliding, manual, deep-tinted 1 - Requires (AJ1) Glass, Solar-Ray deep tinted Deletes or not available with (C49) Defogger, rear-window, electric when ordered. Not available with (ZW9) Pickup bed, delete.	A1	A <sup>1</sup>	A <sup>1</sup>	A1

		S = Standard Equipment A = Available (d. $\blacksquare$ = Included in Equipment Group $\square$ = Included in Equipment Group	ashes) = Not A uipment Group		ble	
	tes availab eel drive Mo	ility of feature on multiple models. For example, it indicates feature ava odels.	ilability on 2W[	D and 4WD Mo	odels or Rear whe	eel drive and
Codes	listed in t	he shaded column titled Ref. Only RPO Code are for internal use o	only and shoul	ld not be orde	ered.	
Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Air dam, Gray	S	S	S	S
	VG3	Bumper, front, chrome, with Gray lower	S	S	S	S
VB3		Bumper, rear, chrome step, includes pad 1 - Not available with (ZW9) Pickup bed, delete.	<b>1</b>	∎ <sup>1</sup>	■ <sup>1</sup>	A <sup>1</sup>
	V43	Bumper, rear, painted step, includes pad				S
VF7		<ul> <li>Bumper, rear, delete (vehicles registered in certain states must have a rear bumper to be operated on their roads, consult local laws)</li> <li>1 - Not available with (Z82) Trailering equipment, heavy-duty or (ZW9) Pickup bed, delete.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
		Daytime running lamps, includes automatic exterior lamp control	S	S	S	S
T96		Fog lamps, front, halogen 1 - With 2WD Models requires (V76) Recovery hooks, 2 front, frame-mounted.		A <sup>1</sup>		
		Glass, Solar-Ray light tinted, all windows	S	S		S
AJ1		Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger) 1 - With Extended Cab Models, includes rear window and rear quarter windows With (C49) Defogger, rear-window, electric, includes light-tinted rear window.	A1	A <sup>1</sup>	■ <sup>1</sup>	A <sup>1</sup>
		Grille, Gray surround				S
TR3		Grille, color-keyed surround, with chrome accent bar 1 - Must specify.	A <sup>1</sup>			
		Headlamps, dual halogen composite, includes flash-to-pass feature and automatic lamp control	S	S	S	S
U01		Lamps, amber roof marker 1 - Standard on (C7W) GVWR, 11,400 lbs. (5171 kg) only.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		Lamps, dual cargo area lamps	S	S	S	S
	D44	Mirrors, outside rearview, foldaway, manual, Black, below eye-line, adjustable heads 1 - Standard on (C7W) GVWR, 11,400 lbs. (5171 kg) only.	S1			S1
	DE2	Mirrors, outside rearview, foldaway, manual, Black, adjustable heads 1 - Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only Not available with (C7W) GVWR, 11,400 lbs. (5171 kg).	S1			S <sup>1</sup>

S = Standard Equipment A = Available --- (dashes) = Not Available

Free Flow	Ref. Only	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab Work Truck 1SW <sup>1</sup>
RPO Code	RPO Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	
DF2		<b>Mirrors,</b> outside rearview, foldaway, manual, camper-style, stainless steel, high visibility, extendable, includes dual segment mirror on driver's side that provides enhanced wide angle capacity (not recommended for bodies or trailers wider than 86" [218.4 cm])	A			A
	DL8	Mirrors, outside rearview, manual folding, power, heated, Black 1 - May be substituted with (DPF) Mirrors, outside rearview, power, heated, camper-style or upgradeable to (DL3) Mirrors, outside rearview, power folding, power, heated, Black when (C4M) GVWR, 9,900 lbs. is ordered.		□ <sup>1</sup>		
DL3		<ul> <li>Mirrors, outside rearview, power folding, power, heated, Black, driver side electrochromic (light-sensitive auto dimming), turn signal in glass, and curb-tilt</li> <li>1 - Requires (C4M) GVWR, 9900 lbs.(4491 kg) Curb-tilt feature requires (UK3) Sound system feature, steering wheel mounted radio controls.</li> <li>2 - Requires (C4M) GVWR, 9900 lbs. (4491 kg) Includes memory feature.</li> </ul>		A <sup>1</sup>	A <sup>2</sup>	
DPF		<b>Mirrors,</b> outside rearview, power, heated, camper-style, includes power extending arms and turn signal in glass		А	A	
	ZY1	Paint, solid	S	S	S	S
	E63	Pickup bed, Fleetside box	S	S	S	S
ZW9		Pickup bed, delete 1 - Requires CK35903 and C*35943 Models. 2 - Requires C*35943 Models.	A1	A <sup>1</sup>	A²	A <sup>1</sup>
V76		Recovery hooks, 2 front, frame-mounted 1 - Standard on 4WD Models only.	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
BVE		Regular production accessory, Assist steps, chrome plated tubular, stainless steel. These steps are dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
BVS		Regular production accessory, Assist steps, Black coated tubular, stainless steel. These steps are dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
PPB		Regular production accessory, Pickup bed extender, brushed aluminum. The extender is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A1	A <sup>1</sup>
E95		Regular production accessory, Tonneau cover, Black, soft. The cover is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
EN6		Regular production accessory, Tonneau cover, Black, hard, folding, lockable. The cover is dealer installed and shipped separately from vehicle to parts department with VIN identification on packaging. (SPO-supplied, dealer installed) 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	QER	Tires, LT265/75R16E, on-/off-road, blackwall 1 - Requires CK35903, CK35943, or CK35953 Models and (C4M) GVWR, 9900 lbs. (4491 kg) Includes 5 tires with (E63) Pickup bed, Fleetside box Includes 4 tires with (ZW9) Pickup bed, delete. 2 - Requires CK35943 or CK35953 Models and (C4M) GVWR, 9900 lbs. (4491 kg) Includes 5 tires with (E63) Pickup bed, Fleetside box Includes 4 tires with (ZW9) Pickup bed, delete.	S1	S1	S²	S1
ХҮК		Tires, LT215/85R16D, all-season, blackwall 1 - Requires and standard on CK35903 and (C7W) GVWR, 11,400 lbs., CC35953 or CC35943 Models Not available with CK35903 and (VYU) Snow Plow Prep Package Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
XYL		Tires, LT215/85R16D, on-/off-road, blackwall 1 - Requires CK35903 and (C7W) GVWR, 11,400 lbs. (5171 kg), CC35953 or CC35943 Models Not available with CK35903 and (VYU) Snow Plow Prep Package Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs. (4491 kg).	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A1
XEC		Tires, LT215/85R16E, all-season, blackwall 1 - Requires and standard on CK35903 and (VYU) Snow Plow Prep Package or CK35953 or CK35943 Models and (C7W) GVWR, 11,400 lbs Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
XEF		Tires, LT215/85R16E, on-/off-road, blackwall 1 - Requires CK35903 and (VYU) Snow Plow Prep Package or CK35953 or CK35943 Models and (C7W) GVWR, 11,400 lbs Includes 7 Tires with (E63) Pickup bed, Fleetside box Includes 6 Tires with (ZW9) Pickup bed, delete Not available with (C4M) GVWR, 9900 lbs.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow	Ref. Only	Description	Reg., Ext. and Crew Cab		Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	<ol> <li>Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models.</li> <li>Equipment group 1SC available on C*35953 and C*35943 Models.</li> </ol>	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
ZER		Tire, spare LT265/75R16E, on-/off-road, blackwall 1 - Requires CK35903, CK35943, or CK35953 Models, (C4M) GVWR, 9900 lbs (4491 kg), (ZW9) Pickup bed, delete, and (QER) Tires, LT265/75R16E on-/off-road, blackwall. 2 - Requires CK35943 or CK35953 Models, (C4M) GVWR, 9900 lbs (4491 kg), (ZW9) Pickup bed, delete, and (QER) Tires, LT265/75R16E on-/off-road, blackwall.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
ZYK		Tire, spare LT215/85R16D, all-season, blackwall, located at rear underbody of vehicle 1 - Requires CK35903 or CC35943 Models and (ZW9) Pickup bed, delete and (XYK) Tires, LT215/85R16D, all-season, blackwall With CK35903, not available with (VYU) Snow Plow Prep Package Not available with (C4M) GVWR, 9900 lbs. 2 - Requires CC35943 Models and (ZW9) Pickup bed, delete and (XYK) Tires, LT215/85R16D, all-season, blackwall Not available with (C4M) GVWR, 9900 lbs.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
ZYL		Tire, spare LT215/85R16D, on-/off-road, blackwall, located at rear underbody of vehicle 1 - Requires CK35903 or CC35943 Models and (ZW9) Pickup bed, delete and (XYL) Tires, LT215/85R16D, on-/off-road, blackwall With CK35903, not available with (VYU) Snow Plow Prep Package Not available with (C4M) GVWR, 9900 lbs. 2 - Requires CC35943 Models and (ZW9) Pickup bed, delete and (XYL) Tires, LT215/85R16D, on-/off- road, blackwall Not available with (C4M) GVWR, 9900 lbs.	A1	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
ZEC		<ul> <li>Tire, spare LT215/85R16E, all-season, blackwall, located at rear underbody of vehicle</li> <li>1 - Requires CK35903 and (VYU) Snow Plow Prep Package or CK35943 Models. Requires (ZW9) Pickup bed, delete and (XEC) Tires, LT215/85R16E, all-season, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> <li>2 - Requires CK35943 Models, (ZW9) Pickup bed, delete and (XEC) Tires, LT215/85R16E, all-season, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
ZEF		<ul> <li>Tire, spare LT215/85R16E, on-/off-road, blackwall, located at rear underbody of vehicle</li> <li>1 - Requires CK35903 and (VYU) Snow Plow Prep Package or CK35943 Models. Requires (ZW9) Pickup bed, delete and (XEF) Tires, LT215/85R16E, on-/off-road, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> <li>2 - Requires CK35943 Models, (ZW9) Pickup bed, delete and (XEF) Tires, LT215/85R16E, on-/off-road, blackwall Not available with (C4M) GVWR, 9900 lbs.</li> </ul>	A1	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
		<b>Tire carrier,</b> outside spare, winch-type mounted under frame at rear	S	S	S	S
SAF		Spare tire lock, keyed cylinder lock that utilizes same key as ignition and door 1 - Not available with (ZW9) Pickup bed, delete.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		Single rear wheels 1 - Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only Requires 4WD Models Not available with (C7W) GVWR, 11,400 lbs. (5171 kg)	S <sup>1</sup>	S1	S <sup>1</sup>	S1

Free Flow RPO	Ref. Only	Only Description RPO 1 - Equipment groups 1SA, 1SB and 1SW available on —	Reg., Ext. and Crew Cab		Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Dual rear wheels 1 - Standard on (C7W) GVWR, 11,400 lbs. (5171 kg) only.	S <sup>1</sup>	S1	S1	S1
		<ul> <li>Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, painted (dual rear), includes painted center caps and steel spare</li> <li>1 - Requires and only available with (C7W) GVWR, 11,400 lbs. (5171 kg) (dual rear wheel)</li> </ul>				S1
	P06	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, with bright metal rings and chrome center caps and steel spare 1 - Requires and only available with (C7W) GVWR, 11,400 lbs. (5171 kg) (dual rear wheel)	<b>1</b>	∎ <sup>1</sup>	∎ <sup>1</sup>	
	QC1	<ul> <li>Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel (single rear wheel)</li> <li>1 - Center Cap is Argent Standard with (C4M) GVWR, 9900 lbs. (4491 kg) only.</li> <li>2 - Center Cap is chrome Standard with (C4M) GVWR, 9900 lbs. (4491 kg) only.</li> </ul>	S1	S2	S²	S1
	B71	Wheel flares, front only 1 - With (C4M) GVWR, 9900 lbs. includes rear wheel flares.	S <sup>1</sup>	S1	S <sup>1</sup>	S <sup>1</sup>
		Wipers, intermittent, front, wet-arm with pulse washers	S	S	S	S

S = Standard Equipment A = Available -- (dashes) = Not Available

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Flow On	Ref. Only	Description	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	1 - Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
K47		Air cleaner, high-capacity 1 - Included with (LLY) Engine, Duramax 6600 Turbo Diesel V8 Included with (Z82) Trailering equipment, heavy-duty Included with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
KL5		Alternative fuel conversions, conversion-ready engine, includes internal modifications for operation with natural or propane gas 1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI and (MT1) Transmission, 4-speed automatic, heavy-duty.	A <sup>1</sup>	A <sup>1</sup>	A1	A <sup>1</sup>
	K68	Alternator, 105 amps	S	S	S	S
		Battery, heavy-duty, 600 cold-cranking amps, includes rundown protection and retained accessory power 1 - Not standard with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	S1	S1	S1	S1
TP2		Battery, auxiliary heavy-duty, 600 cold-cranking amps, includes rundown protection and retained accessory power 1 - Not available with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	TQ3	Battery, heavy-duty dual, 770 cold-cranking amps, includes rundown protection and retained accessory power 1 - Included and only available with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S
	KC4	<b>Cooling,</b> external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank	S	S	S	S
	KNP	Cooling, external transmission oil cooler, auxiliary, heavy-duty air-to-oil 1 - Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty Included with (M74) Transmission, Allison 1000 5-speed automatic.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Cooling,</b> internal transmission oil cooler, water-to-oil, integral to driver side of radiator tank 1 - Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty Included with (M74) Transmission, Allison 1000 5-speed automatic.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
G80		Differential, locking, heavy-duty, rear 1 - Standard on (C4M) GVWR, 9900 lbs. (4491 kg) only.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
FE9		Emissions, Federal requirements	А	А	А	А
YF5		Emissions, California state requirements	А	А	А	А

# 2004 Chevrolet Truck Silverado 3500 MECHANICAL

Free Flow	Ref. Only	Description	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	<ol> <li>Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models.</li> <li>Equipment group 1SC available on C*35953 and C*35943 Models.</li> </ol>	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
NE1		Emissions, Maine, Massachusetts, New York or Vermont state requirements	A	A	A	A
VCL		Emissions Certification, CFF (Clean Fuel Fleet) LEV (Low Emission Vehicle). Option (VCL) should ONLY be ordered to receive the CFF LEV certification. If VCL is not ordered, the vehicle will be produced with your normally selected emission system and may not be CFF LEV certified. Products ordered with the VCL option may not be certified to California emission requirements. Therefore, they may not be legal for registration in California, New York, Massachusetts, Maine and Vermont. Option YF5 should be ordered for all vehicles ordered in California 1 - Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Transmission, Allison 1000 5-speed automatic.	A1	A <sup>1</sup>	A	A <sup>1</sup>
NB8		Emissions override, California, Massachusetts, New York or Vermont (for vehicles ordered by dealers in states of California, Massachusetts, New York or Vermont with Federal emissions) 1 - Requires (FE9) Emissions, Federal requirements.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NC7		<ul> <li>Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with California, New York, Vermont, Massachusetts or Maine emissions; may also be used by dealers in states of California, New York, Vermont, Massachusetts or Maine to order different state-specific emissions)</li> <li>1 - Requires (YF5) Emissions, California state requirements or (NE1) Emissions, New York, Vermont, Massachusetts or Maine state requirements.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
K05		Engine block heater 1 - Included with (LLY) Engine, Duramax 6600 Turbo Diesel V8.	A1	A1	A <sup>1</sup>	A <sup>1</sup>
	LQ4	Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lbft. [486.6 N-m] @ 4000 rpm)	S	S	S	S
L18		Engine, Vortec 8100 V8 SFI (330 HP [245.8 kW] @ 4200 rpm, 450 lbft. [607.5 N-m] @ 3200 rpm)	A	A	A	A
LLY		<ul> <li>Engine, Duramax 6600 Turbo Diesel V8 (with Manual Transmissions 300 HP [223.8 kW] @ 3000 rpm, 520 lbft.</li> <li>[702.0 N-m] @ 1600 rpm) (with Automatic Transmissions 310 HP [231.2 KW] @ 3000 rpm, 590 lbft. [796.5 N-m] @ 1600 rpm)</li> <li>1 - Includes (TQ3) Battery, heavy-duty dual, 770 cold-cranking amps, (K05) Engine block heater and (K47) Air cleaner, high capacity.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

# 2004 Chevrolet Truck Silverado 3500 MECHANICAL

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Reg., Ext. and Crew Cab		Ext. and Crew Cab	Reg., Ext. and Crew Cab
			Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
V10		Covers, radiator grille and front bumper openings, for diesel engines in winter weather 1 - Requires (LLY) Engine, Duramax 6600 Turbo Diesel V8 and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		Exhaust, aluminized stainless-steel muffler and tailpipe	S	S	S	S
		Frame, ladder-type	S	S	S	S
C7W		GVWR, 11,400 lbs. (5171 kg) 1 - Includes dual rear wheels.	A1	A1	A1	A <sup>1</sup>
C4M		GVWR, 9900 lbs. (4490 kg) 1 - Requires CK35903, CK35943 or CK35953 Models and includes single rear wheels only.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PDN		<b>Heavy-Duty Power Package</b> , includes (LLY) Engine, Duramax 6600 Turbo Diesel, (M74) Transmission, Allison 1000 5-speed automatic and (G80) Differential, locking, heavy-duty, rear	A	A	A	A
GT4		Rear axle, 3.73 ratio 1 - Refer to Engine/Axle Chart for availability.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	GT5	Rear axle, 4.10 ratio 1 - Refer to Engine/Axle Chart for availability.	S1	S1	S1	S1
NZZ		Skid Plate Package, includes aluminum front underbody shield starting behind front bumper and running to 1st cross-member, protecting front underbody, oil pan, differential case and transfer case, frame-mounted shields 1 - Requires 4WD Models Included with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
VYU		<ul> <li>Snow Plow Prep Package, includes 10-amp power for backup and roof emergency light, 145-amp alternator, high-flow front bumper, forward lamp wiring harness, 1.65" (42 mm) access hole with grommet in front of dash panel, mounting location for snow plow controls, instrument panel jumper wiring harness for electric trailer brake controller, includes (NZZ) Skid Plate Package and (K47) Air cleaner, high capacity</li> <li>1 - Requires 4WD Models and not available with (CJ2) air conditioning, dual-zone, automatic With Models CK35903 and (C7W) GVWR, 11,400 lbs. (5171 kg) requires (XEC) Tires, LT215/85R16E, all-season, blackwall. With Models CK35903 and (C4M) GVWR, 9900 lbs. (4491 kg) not available with (LLY) Engine, Duramax 6600 Turbo Diesel V8. With Models CK35953 and (C7W) GVWR, 11,400 lbs. (5171 kg) not available with (LLY) Engine, Duramax 6600 Turbo Diesel V8. With Models CK35953 and (C4M) GVWR, 9900 lbs. (4491 kg), requires (C7W) GVWR, 11,400 lbs. (5171 kg) and (LQ4) Engine, Vortec 6000 V8 SFI and not available with (C4M) GVWR, 9900 lbs. (4491 kg).</li> </ul>	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

# 2004 Chevrolet Truck Silverado 3500 MECHANICAL

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Equipment groups 1SA, 1SB and 1SW available on CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Reg., Ext. and Crew Cab		Ext. and Crew Cab	Reg., Ext. and Crew Cab
			Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Steering, power	S	S	S	S
		Suspension, front, independent torsion bar, and stabilizer bar	S	S	S	S
		Suspension, rear, 3-stage springs	S	S	S	S
	Z85	Suspension Package, Handling/Trailering, heavy-duty	S	S	S	S
Z82		Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness (harness includes wires for: park lamps, backup lamps, right turn, left turn, electric brake lead, battery and ground) with independent fused trailering circuits mated to a 7-way sealed connector, 7-way to 4-way trailer adapter, instrument panel jumper wiring harness for electric trailer brake controller, and 1-way sealed connector for center high-mounted stop/brake lamp. Also includes (K47) Air cleaner, high capacity 1 - Not available with (ZW9) Pickup bed, delete or (VF7) Bumper, rear, delete. 2 - Not available with (ZW9) Pickup bed, delete.	A1	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>
UY2		Trailering wiring provisions, for camper, 5th wheel and gooseneck trailer, includes additional 8-way wiring harness routed to front of Pickup box and added 7-way sealed connector for the trailer harness 1 - Requires (Z82) Trailering equipment, heavy-duty.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	NP2	Transfer case, floor-mounted shifter 1 - Standard with 4WD Models Requires (AE7) Seats, front 40/20/40 split-bench.	S1	S1		S <sup>1</sup>
NP1		Transfer case, electronic shift, includes push-button controls 1 - Requires 4WD Models Requires (MT1) Transmission, 4-speed automatic, heavy-duty or (M74) Transmission, Allison 1000 5-speed automatic.		A <sup>1</sup>	■ <sup>1</sup>	
	MW3	Transmission, 5-speed manual 1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI and (AE7) Seats, front 40/20/40 split-bench Not available with (C4M) GVWR, 9,900 lbs.	S <sup>1</sup>	S <sup>1</sup>		S <sup>1</sup>
MT1		<ul> <li>Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and (KNP) Cooling, external transmission oil cooler</li> <li>1 - Requires (LQ4) Engine, Vortec 6000 V8 SFI Standard on (C4M) GVWR, 9900 Ibs. (4491 kg) only.</li> <li>2 - Requires (LQ4) Engine, Vortec 6000 V8 SFI.</li> </ul>	A <sup>1</sup>	A <sup>1</sup>	S²	A <sup>1</sup>
ML6		Transmission, 6-speed manual, heavy-duty with overdrive 1 - Requires (AE7) Seats, front 40/20/40 split-bench and (LLY) Engine, Duramax 6600 Turbo Diesel V8 or (L18) Engine, Vortec 8100 V8 SFI Not available with (C4M) GVWR, 9,900 lbs.	A1	A <sup>1</sup>		A <sup>1</sup>

## 2004 Chevrolet Truck Silverado 3500 MECHANICAL

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
M74		Transmission, Allison 1000 5-speed automatic, electronically controlled with overdrive, tow/haul mode, (KNP) Cooling, external transmission oil cooler and electronic engine grade braking 1 - Requires (LLY) Engine, Duramax 6600 Turbo Diesel V8 or (L18) Engine, Vortec 8100 V8 SFI.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

#### ENGINE/AXLE 2004 Chevrolet Truck Silverado 3500

S = Standard Equipment A = Available -- (dashes) = Not Available

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

		Transm	issions		Ах	les	GVWR lbs. (kg)		
ne	M74 Allison 5-Speed Automatic with OD	ML6 6-Speed Manual with OD	MT1 4-Speed Automatic with OD	MW3 5-Speed Manual with OD	GT4 3.73	GT5 4.10	C4M 9900 (4490)	C7W 11,400 (5171)	
			А	S <sup>2</sup>		S	А	А	
as	A	A <sup>2</sup>				S	А	A	
urbo Diesel	A	A <sup>2</sup>			A		A	A	
FI			S	A		S		А	
FI	A	A				A		A	
ırbo Diesel	A	A <sup>2</sup>			A			A	
FI			S	A <sup>2</sup>		S	A	A	
FI	A	A <sup>2</sup>				A	A	A	
ırbo Diesel	A	A <sup>2</sup>			A		A	A	
ur m	bo Diesel ı, Leather Re	A bo Diesel	bo Diesel A A <sup>2</sup>	bo Diesel A A <sup>2</sup> I, Leather Requires (AE7) Seats, front 40/20/40 split-bench.	bo Diesel A A <sup>2</sup> I, Leather Requires (AE7) Seats, front 40/20/40 split-bench.	bo Diesel A A <sup>2</sup> A I, Leather Requires (AE7) Seats, front 40/20/40 split-bench.	bo Diesel A A <sup>2</sup> A b, Leather Requires (AE7) Seats, front 40/20/40 split-bench.	bo Diesel A A <sup>2</sup> A A I, Leather Requires (AE7) Seats, front 40/20/40 split-bench.	

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

				Interior		
Decor Level	Seat Type	Seat Code	Seat Trim	Dark Charcoal	Tan	Medium Gray
Work Truck/Base	Front 40/20/40 split-bench without fold-down armrest	AE7	Vinyl	69V	52V	
Work Truck/Base	Front 40/20/40 split-bench without fold-down armrest	AE7	Cloth <sup>1</sup>	69C	52C	
LS	Front 40/20/40 reclining split-bench with fold-down armrest	AE7	Custom Cloth	69D	52D	
LS	Front power buckets	A95	Custom Cloth	69D	52D	
LS	Front 40/20/40 reclining split-bench with fold-down armrest	AE7	Custom Leather <sup>2</sup>	692	522	922
LS	Front power buckets	A95	Custom Leather <sup>2</sup>	692	522	922
LT	Front reclining buckets	AN3	Custom Leather <sup>2</sup>	692	522	922

			Interior			
Exterior Solid Paint	Color Code	Touch Up Paint Number	Dark Charcoal	Tan	Medium Gray	Wheel Flare and/or Bodyside Molding Color LS and LT
NEW! Sandstone Metallic	15U	WA-929L	А	А	А	Sandstone Metallic
Black	41U	WA-8555	А	А	А	Black
Dark Green Metallic	47U	WA-9539	А	А	А	Dark Green Metallic
Summit White	50U	WA-8624	А	А	А	Summit White
NEW! Silver Birch Metallic	59U	WA-926L	А		А	Silver Birch Metallic
Dark Gray Metallic	62U	WA-805K	А	А	А	Dark Gray Metallic
NEW! Sport Red Metallic <sup>3</sup>	63U	WA-817K	А	А	А	Black
Victory Red	74U	WA-9260	А	А	А	Black
Arrival Blue Metallic	91U	WA-815K	А	А	А	Black

Above interior trim combinations are the only combinations allowed.

Note: Wheel flares are Black on Work Truck and Base Models.

1 - Not available with Crew Cab Models.

2 - Not available with Regular Cab Models. - Leather seating surfaces on Extended Cab and Leather appointed, front and rear on Crew Cab Models.

3 - Not available with Base Models.

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

				Interior		
Decor Level	Seat Type	Seat Code	Seat Trim	Dark Charcoal	Tan	Medium Gray
Base	Front 40/20/40 split-bench without fold-down armrest	AE7	Vinyl	69V	52V	
Base	Front 40/20/40 split-bench without fold-down armrest	AE7	Cloth <sup>1</sup>	69C	52C	
LS	Front 40/20/40 reclining split-bench with fold-down armrest	AE7	Custom Cloth	69D	52D	
LS	Front power buckets	A95	Custom Cloth	69D	52D	
LS	Front 40/20/40 reclining split-bench with fold-down armrest	AE7	Custom Leather seat inserts <sup>2</sup>	692	522	922
LS	Front power buckets	A95	Custom Leather seat inserts <sup>2</sup>	692	522	922
LT	Front reclining buckets	AN3	Custom Leather seat inserts <sup>2</sup>	692	522	922

			Interior		
Exterior Solid Paint	Color Code	Touch Up Paint Number	Dark Charcoal	Tan	Medium Gray
NEW! Yellow	none	WA-5248	А	А	А
Blue Metallic	none	WA-5405	А	A	А
Yellow	none	WA-5445	А	А	A
Yellow	none	WA-5456	А	А	A
Green	none	WA-5758	А	А	А
Green - Low Gloss	none	WA-6237	А	А	А
Tan - Low Gloss	none	WA-6238	А	А	А
Blue Metallic	none	WA-7159	А	А	А
Gray Metallic	none	WA-7840	А	А	А
Green	none	WA-7941	А	A	А
Yellow	none	WA-7952	А	А	А
Green, Woodland	9V5	WA-9015	А	A	А
Doeskin Tan	9V9	WA-9403	А	А	А
Orange	none	WA-9408	А	А	А
Yellow	none	WA-9414	А	А	А
Tangier Orange	9W4	WA-9417	А	А	А
Orange	none	WA-9419	А	A	А

#### COLOR AND TRIM - SEO SOLID PAINT

Indigo Blue	none	WA-9792	А	A	А
Light Autumnwood Metallic	none	WA-228A	А	A	А
Wheatland Yellow	9W3	WA-253A	А	A	А
Dark Toreador Red	none	WA-334D	А	А	А
NEW! Pewter	none	WA-382E	А	А	А
Orange	none	WA-770H	А	А	А
NEW! Yellow Green	none	WA-936J	А	А	А
All wheel flares will be Black.	•				

1 - Not available with Crew Cab Models.

2 - Not available with Regular Cab Models. - Leather seating surfaces on Extended Cab and Leather appointed, front and rear on Crew Cab Models.

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.
--

Free Flow	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
		Interior				
6C7		<b>Console, roof with reading lamps (MSRP = \$55.00)</b> Provides a short interior roof console with spot reading lamps and up-level headliner.	А			А
5B5		Power windows and mirrors (MSRP = \$738.00) with Regular Cab and Extended Cab Models K35903 and C/K35953, (MSRP = \$815.00) with Crew Cab Models C/K35943 Provides power driver and passenger front side windows on a base trim level, includes LH and RH outside power adjustable, manual folding, non heated mirrors and up level door panels. The mirror head is the same size and configuration as the base power mirror on LS decor. 1 - Requires RPO (AU3) Door locks, power. Power Mirrors can be upgraded to SEO (6P3) Camper Mirrors, remote control, power extendable, non-heated Includes power rear side windows on C/K35943 Models.	A <sup>1</sup>			A <sup>1</sup>
8Q3		Rear seat delete (MSRP = -\$375.00 Credit) Provides deletion of the rear seat on Extended Cab Pickup and Chassis Cabs. Exposed areas will remain untrimmed. 1 - Available on Models CK35953. Requires RPO (AE7) Seats, front 40/20/40 split-bench	A1			A <sup>1</sup>
9S1		Seats, vinyl bucket (MSRP = No Charge) Driver and passenger front bucket seats in base vinyl trim. Does not include manual lumbar. Seats are manual, not power. Does not include a floor or roof console. Standard vinyl rear seat with trim matching front seats will be provided on Extended Cab and Crew Cab. 1 - Requires Trim codes (69V) Dark Charcoal or (52V) Tan. Not available with SEO (9X5) Trim override or RPO (AG1) Seat adjuster, power, driver, 6-way.	A <sup>1</sup>			A <sup>1</sup>
9R3		Sound system, delete (MSRP = No Charge) Deletes the base sound system and provides a stowage compartment and a driver alert chime-tone module. Retains the antenna and base speaker system. 1 - Requires a Fleet or Government sales order.	A1			A <sup>1</sup>

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
9R0		Sound system, ETR AM/FM stereo with cassette (MSRP = \$150.00) with Work Truck and (MSRP = -\$81.00 Credit) with Base and LS decor AM/FM stereo with cassette and digital clock, no CD player. Replaces the base radio. 1 - Requires a Fleet or Government sales order. 2 - Requires RPO (AE7) Seats, front 40/20/40 split-bench and a Fleet or Government sales order.	A <sup>1</sup>	A²		A1
9X5		Trim override, Custom Cloth (MSRP = \$285.00) with Regular Cab, (MSRP = \$360.00) with Extended Cab and (MSRP = \$370.00) with Crew Cab Uplevel custom cloth 40/20/40 front bench seat, with center fold-down arm rest, on a base decor level vehicle. Uplevel cloth rear seats, with trim matching the front seats will also be provided on Extended Cab and Crew Cab Models. 1 - Requires Trim codes (69V) Dark Charcoal or (52V) Tan and RPO (AET) Seats, front 40/20/40 split-bench. Not available with SEO (9S1) Seats vinyl bucket. 2 - Requires Fleet or Government sales order, Trim codes (69V) Dark Charcoal or (52V) Tan Trim Code and RPO (AET) Seats, front 40/20/40 split-bench. Not available with SEO (9S1) Seats, vinyl bucket.	A <sup>1</sup>			A <sup>2</sup>
8E9		Exterior         Bumper, front, painted White (MSRP = \$45.00)         White painted front bumper in lieu of standard chrome.         1 - Not available with RPO (VB3) Bumper, rear, chrome step or on Models C/K35953.         2 - Requires RPO (ZW9) Pickup bed, delete on regular cab, SEO (9W9) Pickup bed, delete on extended cab Models or RPO (VF7) Bumper, rear, delete. Not available on Models CK35943.	A <sup>1</sup>			A <sup>2</sup>
8S3		Backup alarm (MSRP = \$103.00) 97 decibels back-up alarm. 1 - Requires RPO (LQ4) Engine, Vortec 6000 V8 SFI or RPO (L18) Engine, Vortec 8100 V8 SFI.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
6P3		Camper Mirrors, remote control, power extendable, non heated (MSRP = \$238.00) Alternative mirrors replacing mirrors that are standard with SEO (5B5) Power windows and mirrors, on a base decor truck. Includes turn signals in glass. Includes turn signals in glass. 1 - Requires RPO (AU3) Door locks, power and SEO (5B5) Power windows and mirrors be ordered and priced in addition to SEO (6P3).	A1			A1

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
5V1		Carrier with spare wheel - no tire (MSRP = \$82.00) Provides a spare wheel and tire carrier with a spare wheel but with no spare tire. 1 - Requires RPO (ZW9) Pickup bed, delete on Regular and Crew Cab Models or SEO (9W9) Pickup bed delete on Extended Cab Models. Not available with RPO (Z**) spare tire.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9R1		Decal delete, Pickup bed (MSRP = No Charge) Deletes the "4x4" decal from the side of the Pickup bed. 1 - Requires 4WD Models. Not available with RPO (ZW9) Pickup bed, delete or SEO (8F2) Ornamentation, delete.	A1	A <sup>1</sup>	A <sup>1</sup>	A1
9M4		Decal delete, tailgate (MSRP = No Charge) Deletes the nameplate decal on the Pick-up bed tailgate. 1 - Requires RPO (E63) Pickup bed, Fleetside. Not available with SEO (8F2) Ornamentation, delete.	A1			A1
5Z5		Hubcap delete (MSRP = -\$18.00 Credit) Deletes decorative cap at center of wheel.				A
8V2		Jack and tools delete (MSRP = -\$32.00 Credit) Deletes the jack and tire change tools that are standard. 1 - Requires a Fleet or Government sales order.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
8X1		Label, fasten safety belts (MSRP = \$2.00) "Fasten Safety Belts" reminder label on side door window glass.	A	A	A	A
9N8		Mirrors, auxiliary dual spot convex, stainless steel (MSRP = \$50.00) Driver and passenger side 6" (15.2 cm) diameter convex spot add-on mirrors with brackets for use with West Coast style mirrors. Mirrors shipped loose in vehicle. 1 - Requires SEO (9F7) Mirrors, outside driver and passenger side West Coast type.	A <sup>1</sup>			A <sup>1</sup>
9G1		<ul> <li>Mirrors, camper type with convex passenger side mirror head (MSRP = \$109.00)</li> <li>Camper type driver and passenger side manual Black 6" x 10" (15.2 cm x 25.4 cm) mirror heads on sail panel mounted extendable arms. Provides a dual segment mirror on the driver side and a full convex mirror on the passenger side.</li> <li>1 - Requires RPO (C4M) GVWR, 9900 lbs. (4491 kg). Not available for production until late fall 2003.</li> </ul>	A <sup>1</sup>			A <sup>1</sup>

Free Flow	Ref. Only	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
8G9		<ul> <li>Mirrors, outside, convex combination, stainless steel (MSRP = \$278.00)</li> <li>Provides a convex combination driver and passenger side outside rearview mirror with 6" x 10" (15.2 cm x 25.4 cm) flat positioned over a 6" x 6.5" (15.2 cm x 16.5 cm) convex mirror head. Provides drilling in cab and mirror assembly shipped loose. For use with wide body applications up to 96" (243.8 cm).</li> <li>1 - Requires RPO (ZW9) Pickup bed, delete on Model K35903 or SEO (9W9) Pickup bed, delete on Models C/K35953.</li> </ul>	A <sup>1</sup>			A <sup>1</sup>
9F7		Mirrors, outside driver and passenger side West Coast type (MSRP = \$125.00) Provides large West Coast style mirrors with spring loaded pre-set feature. Mirrors are Black. Includes cab drillings and mirror assembly shipped loose.	A			A
8F2		Ornamentation, delete (MSRP = No Charge) Upfitter option. Deletes decals and nameplates on truck exterior. 1 - Requires Upfitter order.	A <sup>1</sup>			A <sup>1</sup>
9F2		Outside mirror delete (MSRP = -\$25.00 Credit) Deletes right and left hand outside rear view mirrors that are standard. Includes incomplete vehicle documentation. 1 - Available only on Models C/K35943. Requires a Fleet sales order.	A1			A <sup>1</sup>
9V9		Paints, solid (MSRP = No Charge), Doeskin Tan 1 - Requires SEO (TGK) Special Paint one color to be ordered.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9W4		Paints, solid (MSRP = No Charge), Tangier Orange 1 - Requires SEO (TGK) Special Paint one color to be ordered.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9W3		Paints, solid (MSRP = No Charge), Wheatland Yellow 1 - Requires SEO (TGK) Special Paint one color to be ordered.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9V5		Paints, solid (MSRP = No Charge), Woodland Green 1 - Requires SEO (TGK) Special Paint one color to be ordered.	A1	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. ar	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
9₩9		Pickup bed delete (Chassis Cab) [(MSRP = -\$735.00 Credit) with 1SW decor and (C4M) GVWR, 9900 lbs. (4490 kg), (MSRP = -\$705.00 Credit) with 1SW décor and (C7W) GVWR, 11,400 lbs. (5171 kg), (MSRP = -\$835.00 Credit) with 1SA or 1SB decor and (C4M) GVWR, 9900 lbs. (4490 kg), (MSRP = -\$805.00 Credit) with 1SA or 1SB décor and (C7W) GVWR, 11,400 lbs. (5171 kg).] Deletes the Pickup bed and provides a Chassis Cab configuration on Extended Cab Models. Also, deletes spare tire and rear bumper. Also, deletes spare tire and rear bumper. 1 - Available on Models C/K35953. Includes Chassis Cab fuel filler assembly and rear lighting, incomplete vehicle documentation and front wheel opening moldings. Not available with RPO (Z82) Trailering equipment, heavy-duty or RPO (A28) Window, rear sliding. Note: If a spare tire is desired, order RPO Z** Spare Tire.	A1	A <sup>1</sup>		A <sup>1</sup>
5Y0		Provision for body mounted lamp with hook-up wiring (MSRP = \$88.00) Provides an instrument panel mounted switch and electrical hook-up behind the cab for a body upfitter to connect a body mounted warning or emergency lamp. 21 amp nominal rating. 1 - Requires RPO (LQ4) Engine, Vortec 6000 V8 SFI, RPO (L18) Engine, Vortec 8100 V8 SFI, RPO (AE7) Seats, front 40/20/40 split-bench or RPO (A95) Seats, front reclining buckets. Not available with SEO (5G4) Provision for cab roof-mounted lamp, RPO (VYU) Snow plow prep package.	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
5X7		Provision for body mounted warning lamp (MSRP = \$98.00) Provides an instrument panel mounted switch and heavy duty electrical relay with hook-up terminal in the engine compartment for a body upfitter to connect a body mounted warning or emergency lamp. 40 amp nominal rating. 1 - Requires RPO (LQ4) Engine, Vortec 6000 V8 SFI or RPO (L18) Engine, Vortec 8100 V8 SFI. Not available with RPO (TP2) Battery, auxiliary heavy-duty, SEO (8B0) Batteries 770 CCA with a 600 CCA auxiliary, SEO (5G4) Provision for cab roof-mounted lamp, SEO (5Y0) Provision for body mounted lamp with hook-up wiring or RPO (VYU) Snow plow prep package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow	Ref. Only	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	RPO Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
5G4		Provision for cab roof-mounted lamp (MSRP = \$103.00) Instrument panel mounted switch and wiring to the roof of the cab for body upfitter to install and connect a cab roof mounted warning or emergency lamp. 21 amp nominal rating. Circuit access instructions are furnished. 1 - Not available with RPO (VYU) Snow plow prep package, RPO (UE1) OnStar, 1-year safe and sound service, SEO (5Y0) Provision for body mounted lamp with hook-up wiring or SEO (5X7) Provision for body mounted warning lamp.	A <sup>1</sup>	A <sup>1</sup>		A <sup>1</sup>
TGK		Solid Paint SEO solid paint, one color 1 - Required with any SEO paint selection.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9L3		Spare tire delete (MSRP = -\$45.00 Credit) Deletes the spare tire only. Spare wheel and carrier remain. 1 - Requires RPO (E63) Pickup bed, Fleetside.	A1	A1	A1	A <sup>1</sup>
5Z4		Spare wheel and tire delete (MSRP = -\$110.00 Credit) Deletes spare tire, wheel and carrier that are base equipment. 1 - Requires RPO (E63) Pickup body. Not available with RPO (SAF) Spare tire lock.	A1	A1	A1	A1
5Q1		Tail Lamp delete (MSRP = -\$27.00 Credit)         Body builder option. Deletes tail lamps and license plate         lamp. Body builder must supply the rear lighting system.         Certain types of rear lamp installations may require adding         a resistor.         1 - Requires RPO (ZW9) Pickup bed, delete with Model         K35903 or SEO (9W9) Pickup bed, delete with Models         C/K35953. Not available with C/K35943 Models.	A <sup>1</sup>			A <sup>1</sup>
5G2		Wheels, painted White (MSRP = \$55.00) White front and rear wheels. Spare wheel will not be White. 1 - Not available with RPO (C4M) GVWR, 9900 lbs. (4491 kg).	A1			A1
		Mechanical				
8C6		Alternator, 145 amp (MSRP = \$140.00) 145 amp alternator in place of the standard 105 amp alternator. 1 - Requires RPO (LQ4) Engine, Vortec 6000 V8 SFI or RPO (L18) Engine, Vortec 8100 V8 SFI. Not available with RPO (VYU) Snow plow prep package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
8X5		Alternators, dual 105 amp (MSRP =\$224.00) Provides 210 amps total alternator power from a dual 105 amp alternator system. 1 - Requires RPO (LLY) Engine, Duramax 6600 6.6L Turbo Diesel V8. Not available with RPO (VYU) Snow plow prep package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. a	nd Crew Cab	Ext. and Crew Cab	Reg., Ext. and Crew Cab
RPO Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.	Base 1SA <sup>1</sup>	LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>
8B0		Batteries, 770 CCA with a 600 CCA auxiliary (MSRP = \$190.00) 770 CCA main cranking battery with a 600 CCA auxiliary battery. Auxiliary battery has an isolator and is not wired to ignition: provides an auxiliary electrical power source. 1 - Requires RPO (LQ4) Engine, Vortec 6000 V8 SFI or RPO (L18) Engine, Vortec 8100 V8 SFI. Not available with Models C/K35943, RPO (TP2) Battery, auxiliary heavy-duty, 600 cold-cranking amps or SEO (7Y9) Battery, single 770 CCA	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
7Y9		Battery, Single 770 CCA (MSRP = \$56.00)         Provides a 770 CCA HD cranking battery.         1 - Requires RPO (LQ4) Engine, Vortec 6000 V8 SFI or RPO (L18) Engine, Vortec 8100 V8 SFI. Not available with RPO (TP2) Battery, auxiliary heavy-duty, 600 cold-cranking amps or SEO (8B0) Batteries, 770 CCA with a 600 CCA auxiliary.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9L4		Power supply, 12 volt (MSRP = \$158.00) 12 volt direct power supply from the battery with two separate 30 amp fused circuits. Each circuit has a 30 amp mini fuse for both positive and ground to protect electrical accessories. Main supply lead has a 40 amp maxi-fuse. All fuses are serviceable. Provides either direct battery power or operation through the ignition system. Hook-up wire is provided under the passenger side glove box. Operational amperage is 21 amps each circuit; 28 amps total. Hook-up and operational instructions are provided. 1 - Not available with RPO (U2K) Sound system feature, XM Satellite Radio, RPO (UE1) OnStar, 1-year Safe and Sound Service or RPO (U42) Rear Seat DVD Entertainment system on Models C/K35943.	A1	A <sup>1</sup>		A1
VAB		Ship Thru Codes         Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00)         Produced in Pontiac Assembly and shipped to NBC Truck Equipment	A	A	A	A
VAY		Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00) Produced in Pontiac Assembly and shipped to K&B Mounting		A	A	A
VBK		Ship Thru for Models C/K35953 and K35903 (MSRP = \$210.00) Produced in Pontiac Assembly and shipped to Ft. Wayne Fleet Equipment	A	A	A	A
VCB		Ship Thru for Models C/K35943 (MSRP = \$105.00) Produced in Flint Assembly and shipped to Monroe Truck Equipment	A	A	A	A
VFW		Ship Thru for Models C/K35943 (MSRP = \$255.00) Produced in Flint Assembly and shipped to NBC Truck Equipment	A	A	A	A

Free Flow RPO	Ref. Only RPO	Description 1 - Equipment groups 1SA, 1SB and 1SW available on	Reg., Ext. and Crew Cab		Ext. and Crew Cab	Reg., Ext. and Crew Cab	
Code	Code	CK35903, C*35953, and C*35943 Models. 2 - Equipment group 1SC available on C*35953 and C*35943 Models.		LS 1SB <sup>1</sup>	LT 1SC <sup>2</sup>	Work Truck 1SW <sup>1</sup>	
VGH		Ship Thru for Models C/K35953 and K35903 (MSRP = \$105.00) Produced in Pontiac Assembly and shipped to Monroe Truck Equipment		A	A	A	
VGZ		Ship Thru for Models C/K35953 and K35903 (MSRP = \$105.00) Produced in Pontiac Assembly and shipped to Canfield		A	A	A	
VSQ	Ship Thru for Models C/K35943 (MSRP = \$270.00) Produced in Flint Assembly and shipped to Monroe Truck Equipment		A	A	A	А	
VUD	UD         Ship Thru for Models C/K35943 (MSRP = \$90.00)           Produced in Flint Assembly and shipped to Knapheide           Truck Equipment		A	A	A	A	
VUI	Ship Thru for Models C/K35943 (MSRP = \$230.00)           Produced in Flint Assembly and shipped to Ft. Wayne           Fleet Equipment		A	A	A	A	
VUM		Ship Thru for Models C/K35943 (MSRP = \$305.00) Produced in Flint Assembly and shipped to Buckey Truck Equipment	A	A	A	A	
VWS	Ship Thru for Models C/K35953 and K35903 (MSRP = \$275.00) Produced in Pontiac Assembly and shipped to Buckeye Truck Equipment		A	A	A	A	
VWY	Y Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00) Produced in Pontiac Assembly and shipped to Scherer Trucking		A	A	A	A	
VYC	Ship Thru for Models C/K35953 and K35903 (MSRP = \$115.00) Produced in Pontiac Assembly and shipped to Knapheide Truck Equipment		A	A	A	A	
VYS		Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00) Produced in Pontiac Assembly and shipped to Masterack Truck Equipment	A	A	A	A	

All dimensions in inches (mm) unless otherwise sta	ated.			
		Specifications	Ext. Cab Long Box 2WD	Crew Cab Long Box 2WD
BBC CA-	А	Wheelbase	157.50 (4000)	167.00 (4242)
	в	Overall length	246.50	256.10
			(6261)	(6505)
9(Q)"(Q)(#	С	Body width	96.10	96.10
-ва			(2441)	(2441)
B	D	Overall height	76.20	76.20
			(1935) 41.00	(1935) 41.00
		Head room, front	(1041)	(1041)
	;	lland soons soon	38.40	39.00
		Head room, rear	(975)	(991)
		Shoulder room, front	65.20	65.20
			(1656)	(1656)
		Shoulder room, rear	66.30	65.10
		,	(1684)	(1654)
		Hip room, front	61.40	61.40
			(1560)	(1560)
	-	Hip room, rear	61.50	62.90
B			(1562)	(1598)
0		Leg room, front	41.30 (1049)	41.30 (1049)
	-		33.70	38.60
		Leg room, rear	(856)	(980)
	СА	Cab to axle	55.90	55.90
	07		(1420)	(1420)
	BA	Front bumper to axle	37.00	37.00
		•	(940)	(940)
		Rear bumper to axle	52.20	52.20
			(1326)	(1326)
	ILF	Inside length, at floor	97.60 (2479)	97.60 (2479)
		Inside height	19.50	19.50
			(495)	(495)
		Inside width, at floor	64.80	64.80
			(1646)	(1646)
	IWR	Tailgate width	61.90 (1572)	61.90 (1572)
	BBC	Front bumper to back of cab	138.70 (3523)	148.10 (3762)
	GF	Ground to top of rear load floor	35.70 (907)	35.20 (894)

Published September 9, 2005 Page 50

Specifications	Ext. Cab Long Box 2WD	Crew Cab Long Box 2WD
Inside width, between wheelhousing	50.00 (1270)	50.00 (1270)
Ground clearance, front	9.10 (231)	9.10 (231)
Ground clearance, rear	12.10 (307)	12.10 (307)

All dimensions in inches (mm) unless otherwise stated.					
		Specifications	Reg. Cab Long Box 4WD	Ext. Cab Long Box 4WD	Crew Cab Long Box 4WD
BBC CA	A	Wheelbase	133.00 (3378)	157.50 (4000)	167.00 (4242)
	В	Overall length	222.10 (5641)	246.50 (6261)	256.10 (6505)
	С	Body width	96.10 (2441)	96.10 (2441)	96.10 (2441)
	D	Overall height	76.20 (1935)	76.20 (1935)	76.20 (1935)
		Head room, front	41.00 (1041)	41.00 (1041)	41.00 (1041)
		Head room, rear		38.40 (975)	39.00 (991)
		Shoulder room, front	65.20 (1656)	65.20 (1656)	65.20 (1656)
		Shoulder room, rear		66.30 (1684)	65.10 (1654)
for the second s		Hip room, front	61.40 (1560)	61.40 (1560)	61.40 (1560)
		Hip room, rear		61.50 (1562)	62.90 (1598)
		Leg room, front	41.30 (1049)	41.30 (1049)	41.30 (1049)
		Leg room, rear		33.70 (856)	38.60 (980)
	CA	Cab to axle	55.90 (1420)	55.90 (1420)	55.90 (1420)
BBC CA	BA	Front bumper to axle	37.00 (940)	37.00 (940)	37.00 (940)
		Rear bumper to axle	52.20 (1326)	52.20 (1326)	52.20 (1326)
	ILF	Inside length, at floor	97.60 (2479)	97.60 (2479)	97.60 (2479)
		Inside height	19.50 (495)	19.50 (495)	19.50 (495)
		Inside width, at floor	64.80 (1646)	64.80 (1646)	64.80 (1646)

Published September 9, 2005 Page 52

DIMENSIONS - 4WD
------------------

	Specifications	Reg. Cab Long Box 4WD	Ext. Cab Long Box 4WD	Crew Cab Long Box 4WD
IWR	Tailgate width, top	61.90 (1572)	61.90 (1572)	61.90 (1572)
BBC	Front bumper to back of cab	114.10 (2898)	138.70 (3523)	148.10 (3762)
GF	Ground to top of rear load floor	35.80 (909)	35.1 (891.5)	34.4 (873.8)
	Inside width, between wheelhousing	50.00 (1270)	50.00 (1270)	50.00 (1270)
	Ground clearance, front	10.60 (269)	10.6 (269.2)	10.6 (269.2)
	Ground clearance, rear	13.60 (345)	13.6 (345.4)	13.6 (345.4)

## 2004 Chevrolet Truck Silverado 3500 SPECS

	Regular Cab 4WD CK35903	Extended Cab 2WD CC35953	Extended Cab 4WD CK35953	Crew Cab 2WD CC35943	Crew Cab 4WD CK35943
Specifications					
Front shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Front stabilizer bar diameter, in. (mm)	1.18 (30)	1.25 (32)	1.25 (32)	1.25 (32)	1.25 (32)
Rear shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Turning diameter, curb-to-curb (with Single Rear Wheels), ft. (m)	TBD		TBD		TBD
Turning diameter, curb-to-curb (with Dual Rear Wheels), ft. (m)	45.0 (13.7)	50.2 (15.3)	51.9 (15.8)	53.8 (16.4)	55.7 (17.0)
Capacities		1	I		
Front axle, lbs. (kg)	4800 (2177)	4800 (2177)	4800 (2177)	4800 (2177)	4800 (2177)
Front spring capacity (with Single Rear Wheels), Ibs. (kg)	4800 (2177)		4800 (2177)		4800 (2177)
Front spring capacity (with Dual Rear Wheels), Ibs. (kg)	4500 (2041)	4800 (2177)	4800 (2177)	4800 (2177)	4800 (2177)
Rear axle, Ibs. (kg)	9200 (4173)	9200 (4173)	9200 (4173)	9200 (4173)	9200 (4173)
Rear spring capacity (with Single Rear Wheels), Ibs. (kg)	6500 (2948)		6500 (2948)		6500 (2948)
Rear spring capacity (with Dual Rear Wheels), lbs. (kg)	8600 (3901)	8600 (3901)	8600 (3901)	8600 (3901)	8600 (3901)
Curb weight (with Single Rear Wheels), Ibs. (kg)	5661 (2568)		6239 (2830)		6094 (2764)
Curb weight (with Dual Rear Wheels), lbs. (kg)	5857 (2657)	6021 (2731)	6334 (2873)	6147 (2788)	6458 (2929)
Cargo volume, cargo box, cu. ft. (liters)	70.7 (2002.2)	70.7 (2002.2)	70.7 (2002.2)	55.6 (1574.6)	55.6 (1574.6)
Payload (with Single Rear Wheels), Ibs. (kg)	4239 (1923)		3661 (1661)		3806 (1726)
Payload (with Dual Rear Wheels), Ibs. (kg)	5543 (2514)	5379 (2440)	5066 (2298)	5253 (2383)	4942 (2242)
Gross Vehicle Weight Rating (GVWR) (with Single Rear Wheels), Ibs. (kg)	9900 (4491)		9900 (4491)		9900 (4491)
Gross Vehicle Weight Rating (GVWR) (with Dual Rear Wheels), Ibs. (kg)	11400 (5171)	11400 (5171)	11400 (5171)	11400 (5171)	11400 (5171)
Front Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), Ibs. (kg)	4800 (2177)		4800 (2177)		4800 (2177)
Front Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), Ibs. (kg)	4500 (2041)	4670 (2118)	4800 (2177)	4670 (2118)	4800 (2177)
Rear Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), Ibs. (kg)	6500 (2948)		6500 (2948)		6500 (2948)
Rear Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), Ibs. (kg)	8550 (3878)	8550 (3878)	8550 (3878)	8550 (3878)	8550 (3878)
Fuel capacity, approximate, gallon (liters)	34 (129)	34 (129)	34 (129)	34 (129)	34 (129)

## 2004 Chevrolet Truck Silverado 3500 SPECS

Seating capacity (front/rear)	3	3/3	3/3	3/3	3/3
-------------------------------	---	-----	-----	-----	-----

	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, painted (dual rear), includes painted center caps and steel spare
	P06 Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel, with bright metal rings and chrome center caps and steel spare
Image to come	QC1 Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel (single rear wheel)

Ì	)	RA	DI	OS	

UB0 <b>Sound system,</b> ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS)
UB1 <b>Sound system,</b> ETR AM/FM stereo with CD and cassette player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS) and 4-speakers on Regular Cab Models, 6-speakers on Extended and Crew Cab Models (with bucket seats UB1 includes Bose speaker system, Bose amplifier and Bose subwoofer)
UC6 <b>Sound system,</b> ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System (RDS), and Bose speaker system (includes 6-speakers, Bose amplifier and Bose Subwoofer)
UM7 <b>Sound system,</b> ETR AM/FM stereo, includes seek-and-scan and digital clock

#### TRAILERING SPECS - Automatic or Manual Transmission Ratings with Ball Hitch for Heavy Duty Models

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

	Automatic or Manual Transmission Ratings with Ball Hitch for Heavy Duty Models					
Model	(LQ4) Vorte	ec 6000 V8 SFI	(L18) Vorte	c 8100 V8 SFI	· · /	6600 Turbo Diesel V8
	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)
CC35953	4.10	9800 (4445)	4.10	12000 (5443)	3.73	12000 (5443)
CC35943	4.10	9600 (4355)	4.10	12000 (5443)	3.73	12000 (5443)
CK35903 w/(C7W)	4.10	9900 (4491)	4.10	12000 (5443)	3.73	12000 (5443)
CK35953 w/(C7W)	4.10	9500 (4309)	4.10	12000 (5443)	3.73	12000 (5443)
CK35943 w/(C7W)	4.10	9300 (4218)	4.10	12000 (5443)	3.73	12000 (5443)

	GCWR For Engine/Rear Axle Ratio Combination with Manual Transmission						
Engine		(GCWR) Gross Combination	on Weight Ratings Ibs. (kg)				
	16000 (7258)	20000 (9072)	22000 (9979)	23500 (10660)			
(LQ4) Vortec 6000 V8 SFI	4.10						
(L18) Vortec 8100 V8 SFI		3.73 <sup>1</sup>	4.10				
(LLY) Duramax 6600 Turbo Diesel V8			3.73 <sup>2</sup>	3.73 <sup>3</sup>			
<ol> <li>Requires Automatic Transmissions.</li> <li>Requires (C4M) GVWR, 9900 lbs.</li> <li>Requires (C7W) GVWR, 11,400 lbs.</li> </ol>							

#### TRAILERING SPECS - Manual Transmission Ratings with 5th Wheel or Gooseneck Hitch

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 15 to 25% of the trailer weight is the recommended 5th Wheel or Gooseneck kingpin load.

	Manual Transmission Ratings with 5th Wheel or Gooseneck Hitch					
Model	(LQ4) Vortec 6000 V8 SFI		(L18) Vortec 8100 V8 SFI		(LLY) Duramax 6600 Turbo Diesel V8	
	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)
CC35953	4.10	9800 (4445)	4.10	15400 (6985)	3.73	15200 (6895)
CC35943	4.10	9600 (4355)	4.10	15200 (6895)	3.73	15000 (6804)
CK35903 w/(C4M)	4.10	10100 (4581)	4.10	15700 (7122)	3.73	15500 (7031)
CK35903 w/(C7W)	4.10	9900 (4491)	4.10	15500 (7031)	3.73	15300 (6940)
CK35953 w/(C4M)	4.10	9700 (4400)	4.10	15300 (6940)	3.73	15200 (6895)
CK35953 w/(C7W)	4.10	9500 (4309)	4.10	15100 (6849)	3.73	14900 (6759)
CK35943 w/(C4M)	4.10	9500 (4309)	4.10	15100 (6849)	3.73	14900 (6759)
CK35943 w/(C7W)	4.10	9300 (4218)	4.10	14900 (6759)	3.73	14600 (6623)

TRAILERING SPECS

There is no data available for Silverado 3500.

#### TRAILERING SPECS - Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 15 to 25% of the trailer weight is the recommended 5th Wheel or Gooseneck kingpin load.

	Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch					
Model	(LQ4) Vortec 6000 V8 SFI		(L18) Vortec 8100 V8 SFI		(LLY) Duramax 6600 Turbo Diesel V8	
	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)
CC35953	4.10	9800 (4445)	4.10	15400 (6985)	3.73	16700 (7575)
CC35943	4.10	9600 (4355)	4.10	15200 (6895)	3.73	16500 (7484)
CK35903 w/(C4M)	4.10	10100 (4581)	4.10	15700 (7122)	3.73	15500 (7031)
CK35903 w/(C7W)	4.10	9900 (4491)	4.10	15500 (7031)	3.73	16800 (7620)
CK35953 w/(C4M)	4.10	9700 (4400)	4.10	15300 (6940)	3.73	15200 (6895)
CK35953 w/(C7W)	4.10	9500 (4309)	4.10	15100 (6849)	3.73	16400 (7439)
CK35943 w/(C4M)	4.10	9500 (4309)	4.10	15100 (6849)	3.73	14900 (6759)
CK35943 w/(C7W)	4.10	9300 (4218)	4.10	14900 (6759)	3.73	16100 (7303)

Option Code	Description
**2	Seat trim, leather
**C	Seat trim, cloth
**D	Seat trim, Custom Cloth
**V	Seat trim, vinyl
5B5	Power windows and mirrors (MSRP = \$738.00) with Regular Cab and Extended Cab Models
	K35903 and C/K35953, (MSRP = \$815.00) with Crew Cab Models C/K35943
5G2	Wheels, painted White (MSRP = \$55.00)
5G4	Provision for cab roof-mounted lamp (MSRP = \$103.00)
5Q1	Tail Lamp delete (MSRP = -\$27.00 Credit)
5V1	Carrier with spare wheel - no tire (MSRP = \$82.00)
5X7	Provision for body mounted warning lamp (MSRP = \$98.00)Provides an instrument panel
	mounted switch and heavy duty electrical relay with hook-up terminal in the engine
	compartment for a body upfitter to connect a body mounted warning or emergency lamp.
	40 amp nominal rating.
5Y0	Provision for body mounted lamp with hook-up wiring (MSRP = \$88.00)Provides an
	instrument panel mounted switch and electrical hook-up behind the cab for a body upfitter
	to connect a body mounted warning or emergency lamp. 21 amp nominal rating.
5Z4	Spare wheel and tire delete (MSRP = -\$110.00 Credit)
5Z5	Hubcap delete (MSRP = -\$18.00 Credit)Deletes decorative cap at center of wheel.
6C7	Console, roof with reading lamps (MSRP = \$55.00)
6P3	Camper Mirrors, remote control, power extendable, non heated (MSRP =
	\$238.00)Alternative mirrors replacing mirrors that are standard with SEO (5B5) Power
	windows and mirrors, on a base decor truck. Includes turn signals in glass.
7Y9	Battery, Single 770 CCA (MSRP = \$56.00)
8B0	Batteries, 770 CCA with a 600 CCA auxiliary (MSRP = \$190.00)
8C6	Alternator, 145 amp (MSRP = \$140.00)
8E9	Bumper, front, painted White (MSRP = \$45.00)
8F2	Ornamentation, delete (MSRP = No Charge)Upfitter option.
8G9	Mirrors, outside, convex combination, stainless steel (MSRP = \$278.00)
8Q3	Rear seat delete (MSRP = -\$375.00 Credit)
8S3	Backup alarm (MSRP = \$103.00)97 decibels back-up alarm.
8V2	Jack and tools delete (MSRP = -\$32.00 Credit)
8X1	Label, fasten safety belts (MSRP = \$2.00)
8X5	Alternators, dual 105 amp (MSRP =\$224.00)
9F2	Outside mirror delete (MSRP = -\$25.00 Credit)Deletes right and left hand outside rear view
	mirrors that are standard.
9F7	Mirrors, outside driver and passenger side West Coast type (MSRP = \$125.00)Provides
	large West Coast style mirrors with spring loaded pre-set feature.
9G1	Mirrors, camper type with convex passenger side mirror head (MSRP = \$109.00)
9L3	Spare tire delete (MSRP = -\$45.00 Credit)
9L4	Power supply, 12 volt (MSRP = \$158.00)
9M4	Decal delete, tailgate (MSRP = No Charge)
9N8	Mirrors, auxiliary dual spot convex, stainless steel (MSRP = \$50.00)
9R0	Sound system, ETR AM/FM stereo with cassette (MSRP = \$150.00) with Work Truck and
	(MSRP = -\$81.00 Credit) with Base and LS decorAM/FM stereo with cassette and digital
	clock, no CD player. Replaces the base radio.
9R1	Decal delete, Pickup bed (MSRP = No Charge)
9R3	Sound system, delete (MSRP = No Charge)
9S1	Seats, vinyl bucket (MSRP = No Charge)
9V5	Paints, solid (MSRP = No Charge), Woodland Green

## 2004 Chevrolet Truck Silverado 3500 RPO CODES

Option Code	Description
9V9	Paints, solid (MSRP = No Charge), Doeskin Tan
9W3	Paints, solid (MSRP = No Charge), Wheatland Yellow
9W4	Paints, solid (MSRP = No Charge), Tangier Orange
9W9	Pickup bed delete (Chassis Cab) [(MSRP = -\$735.00 Credit) with 1SW decor and (C4M)
	GVWR, 9900 lbs. (4490 kg), (MSRP = -\$705.00 Credit) with 1SW décor and (C7W) GVWR,
	11,400 lbs. (5171 kg), (MSRP = -\$835.00 Credit) with 1SA or 1SB decor and (C4M) GVWR,
	9900 lbs. (4490 kg), (MSRP = -\$805.00 Credit) with 1SA or 1SB décor and (C7W) GVWR,
	11,400 lbs. (5171 kg).]
9X5	Trim override, Custom Cloth (MSRP = \$285.00) with Regular Cab, (MSRP = \$360.00) with
	Extended Cab and (MSRP = \$370.00) with Crew CabUplevel custom cloth 40/20/40 front
	bench seat
A28	Window, rear sliding
A31	Windows, power
A95	Seats, front reclining buckets
AE7	Seats, front 40/20/40 split-bench
AE7	Seats, front 40/20/40 split-bench, 3-passenger
AG1	Seat adjuster, power, driver 6-way
AG2	Seat adjuster, power
AJ1	Glass, Solar-Ray deep tinted
AN3	Seats, front power reclining full-feature buckets
AU0	Keyless entry, remote
AU3	Door locks, power
B30	Floor covering, color-keyed carpeting
B71	Wheel flares
BG9	Floor covering, rubberized vinyl, Black
BVE	Regular production accessory, Assist steps, chrome plated tubular, stainless steel.
BVS	Regular production accessory, Assist steps, Black coated tubular, stainless steel.
C42	Air conditioning delete
C49	Defogger, rear-window, electric
C4M	GVWR, 9900 lbs. (4490 kg)
C7W	GVWR, 11,400 lbs. (5171 kg)
CJ2	Air conditioning, dual-zone, automatic
CJ3	Air conditioning, dual-zone, manual
D07	Console, floor
D44	Mirrors, outside rearview, foldaway, manual, Black
DE2	Mirrors, outside rearview, foldaway, manual, Black
DF2	Mirrors, outside rearview, foldaway, manual, camper-style
DF5	Mirror, inside rearview, electrochromic
DK7	Console, overhead mini
DL3	Mirrors, outside rearview, power folding, power, heated, Black
DL8	Mirrors, outside rearview, manual folding, power, heated, Black
DNH	Regular production accessory, underseat storage
DPF	Mirrors, outside rearview, power, heated, camper-style
E63	Pickup bed, Fleetside
E95	Regular production accessory, Tonneau cover, Black, soft.
EN6	Regular production accessory, Tonneau cover, Black, hard, folding, lockable.
FE9	Emissions, Federal requirements
G80	Differential, locking, heavy-duty, rear
GT4	Rear axle, 3.73 ratio

Option Code	Description
GT5	Rear axle, 4.10 ratio
K05	Engine block heater
K34	Cruise control
K47	Air cleaner, high-capacity
K68	Alternator, 105 amps
KC4	Cooling, external engine oil cooler
KL5	Alternative fuel conversions, conversion-ready engine
KNP	Cooling, external transmission oil cooler
L18	Engine, Vortec 8100 V8 SFI
LLY	Engine, Duramax 6600 Turbo Diesel V8
LQ4	Engine, Vortec 6000 V8 SFI
M74	Transmission, Allison 1000 5-speed automatic
ML6	Transmission, 6-speed manual, heavy-duty
MT1	Transmission, 4-speed automatic, heavy-duty
MW3	Transmission, 5-speed manual
NB8	Emissions override, California, Massachusetts, New York or Vermont
NC7	Emissions override, Federal
NE1	Emissions, Maine, Massachusetts, New York or Vermont state requirements
NP1	Transfer case, electronic shift
NP2	Transfer case, floor-mounted shifter
NP5	Steering wheel, leather-wrapped rim
NZZ	Skid Plate Package
P06	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel
PDN	Heavy-Duty Power Package, includes (LLY) Engine
PPB	Regular production accessory, Pickup bed extender, brushed aluminum.
QC1	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug steel (single rear wheel)
QER	Tires, LT265/75R16E, on-/off-road, blackwall
SAF	Spare tire lock
T96	Fog lamps, front
TGK	Solid PaintSEO solid paint, one color
TP2	Battery, auxiliary heavy-duty, 600 cold-cranking amps
TQ3	Battery, heavy-duty dual, 770 cold-cranking amps
TR3	Grille, color-keyed surround
U01	Lamps, amber roof marker
U2K	Sound system feature, XM Satellite Radio
U42	Entertainment system, rear seat
UB0	Sound system, ETR AM/FM stereo with CD player
UB1	Sound system, ETR AM/FM stereo with CD and cassette player
UC6	Sound system, ETR AM/FM stereo with 6-disc CD changer
UE1	OnStar
UK3	Sound system feature, steering wheel mounted radio controls
UK6	Sound system feature, rear audio controls
UM7	Sound system, ETR AM/FM stereo
UQ5	Sound system feature, 4-speakers
UY2	Trailering wiring provisions, for camper, 5th wheel and gooseneck trailer
V10	Covers, radiator grille and front bumper openings
V43	Bumper, rear, painted step
V76	Recovery hooks, 2 front, frame-mounted
VAB	Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00)Produced in Pontiac
140	

## 2004 Chevrolet Truck Silverado 3500 RPO CODES

Option Code	Description
	Assembly and shipped to NBC Truck Equipment
VAY	Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00)Produced in Pontiac
	Assembly and shipped to K&B Mounting
VB3	Bumper, rear, chrome step
VBK	Ship Thru for Models C/K35953 and K35903 (MSRP = \$210.00)Produced in Pontiac
	Assembly and shipped to Ft. Wayne Fleet Equipment
VCB	Ship Thru for Models C/K35943 (MSRP = \$105.00)Produced in Flint Assembly and shipped
	to Monroe Truck Equipment
VCL	Emissions Certification, CFF (Clean Fuel Fleet) LEV (Low Emission Vehicle).
VF7	Bumper, rear, delete
VFW	Ship Thru for Models C/K35943 (MSRP = \$255.00)Produced in Flint Assembly and shipped
	to NBC Truck Equipment
VG3	Bumper, front, chrome
VGH	Ship Thru for Models C/K35953 and K35903 (MSRP = \$105.00)Produced in Pontiac
	Assembly and shipped to Monroe Truck Equipment
VGZ	Ship Thru for Models C/K35953 and K35903 (MSRP = \$105.00)Produced in Pontiac
	Assembly and shipped to Canfield
VSQ	Ship Thru for Models C/K35943 (MSRP = \$270.00)Produced in Flint Assembly and shipped
	to Monroe Truck Equipment
VUD	Ship Thru for Models C/K35943 (MSRP = \$90.00)Produced in Flint Assembly and shipped to
	Knapheide Truck Equipment
VUI	Ship Thru for Models C/K35943 (MSRP = \$230.00)Produced in Flint Assembly and shipped
	to Ft. Wayne Fleet Equipment
VUM	Ship Thru for Models C/K35943 (MSRP = \$305.00)Produced in Flint Assembly and shipped
	to Buckey Truck Equipment
VWS	Ship Thru for Models C/K35953 and K35903 (MSRP = \$275.00)Produced in Pontiac
	Assembly and shipped to Buckeye Truck Equipment
VWY	Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00)Produced in Pontiac
	Assembly and shipped to Scherer Trucking
VYC	Ship Thru for Models C/K35953 and K35903 (MSRP = \$115.00)Produced in Pontiac
	Assembly and shipped to Knapheide Truck Equipment
VYS	Ship Thru for Models C/K35953 and K35903 (MSRP = \$100.00)Produced in Pontiac
	Assembly and shipped to Masterack Truck Equipment
VYU	Snow Plow Prep Package
XEC	Tires, LT215/85R16E, all-season, blackwall
XEF	Tires, LT215/85R16E, on-/off-road, blackwall
ХҮК	Tires, LT215/85R16D, all-season, blackwall
XYL	Tires, LT215/85R16D, on-/off-road, blackwall
YF5	Emissions, California state requirements
Z82	Trailering equipment, heavy-duty
Z85	Suspension Package, Handling/Trailering
ZEC	Tire, spare LT215/85R16E, all-season, blackwall
ZEF	Tire, spare LT215/85R16E, on-/off-road, blackwall
ZER	Tire, spare LT265/75R16E, on-/off-road, blackwall
ZW9	Pickup bed, delete
ZYV9 ZY1	Paint, solid
ZYK	Tire, spare LT215/85R16D, all-season, blackwall
ZYL	Tire, spare LT215/85R16D, on-/off-road, blackwall
212	וויפ, אמוים בדבואסטירוטט, טוויטטויוטמע, אומכאשמו

## DISTRIBUTION UPDATES

No Distribution Updates Available for the Selected Time Frame.